Vikan - ultra microfibre technology DAMP ADVANCING HYGIENIC CLEANING ikan Original cloth, cleaning cloth Article Size Recommended frame or holder Article no. Green 691132 320x320 mm Blue 691133 320x320 mm Red 691134 320x320 mm rellow 691136 320x320 mm Packed 5 pcs. in a plastic bag - 50 pcs. in a carton CLEANING Where to use: Cleaning of all types of surfaces with high demands on cleaning efficiency and hygienic. Perfect for regular maintenance cleaning. Avoid any contact with solvents, strong acid or alkaline products. How to use: Preferably used in Vikan Vikan® system. The cloth can be used either damp or dry - wipe with the cloth folded fold in another direction until every side has been used as face side - thereafter released in the laundry bag. Training is organized by Vikan. Contact our sales organization for further information or set up a meeting. Optimum moisture: to achieve best cleaning efficiency and scope 75% Preparation: Dry or damp. Be aware of the recommended optimum moisture. Article Dry weight ± 5 g ml water Damp weight maximum Original cloth 35 26 61 Drying speed The controlled adding of damp results in an uniform and quick drying surface. The cleaning result is very obvious and immediate. Drops or stripes can be avoided. CARE 95 Care label Care label describes the maximum temperature that should be used. Due to cost, time and environmental impact a reduced temperature should always be evaluated depending on the application. Recommended Use detergents developed for microfiber products with a pH less than 10. Softner or biocides 70°C washing should not be used as they can cause fiber damage and specific in combination with high 72-95°C, temperature. The electrostatic characteristic that is essential for the dust collecting will be Washing in depending on reduced or lost with this type of treatment. specific hygiene time use The recommendation is made to avoid the textile to be damaged if humidity is not controlled. Max 55°C Drying instruction steam at 121° C Possible to autoclave in steam if required. Other methods must be tested and approved by the Autoclaveable 20 min originator. Material The product is pure synthetic with high strength and can be used in many re-circulated recovery materials depending on their specification. Disposal after use The fibers have a high energy value and can be totally burned without anything else than CO₂ Energy recovery and water.



Vikan - ultra microfibre technology		
COMPOSITION		
Cleaning surface	80 % PES / 20 % PA. Splitted micro fiber	Uniform and dense loops of microfiber provides large contact area between the cloth and cleaning surface. The more contact the better efficiency in the cleaning. Our loops creates a large volume and helps to collect dust and dirt effecient. Fabric is provided with Vikan wicking performance which permanently protect the fibre and increase the transport inside the mop and enhance the cleaning and laundry efficiency.
CHARACTERIST	ICS	
Shrinkage	Less than 5% at recommended washing conditions.	
Absorbency	Fast and immediate wicking properties. Can easily keep 5x its own weight in moisture.	
Staining	No staining in dry or damp condition if recommendation is followed. Some staining can be noticed on other textiles when the higher temperature range is used but separate washing of mops and cloths that are of different construction or used for different applications are recommended.	
GUARANTEE AN	D PERFORMANCE	
	• •	neral or hygiene use. Depending on cleaning areas (type of dirt and frequency of cleaning) the guarantee must be limited - ife cycle can be optimized to even higher level. Ask our experts for best choice.
Lenience	Our micro fibre construction is tested against several glossy surfaces to secure the leniency of the mops and cloths. But before use on specific sensitive surfaces check that no particles as sand or old dirt are kept in the textile. Use a CD or similar as a test surface if you are not convinced.	
PRODUCT FEATURES AND BENEFITS		
Ergonomics	Low weight - folded for better handle and utilization of the cloth surface	
Efficiency	High hygiene level - efficient reduction of bacteria - no spreading out of dirt - fast drying without residual chemicals	
Effective and		
simplicity	Easy to use - no changing of water or detergent - color coding system	
Environmental impact	No chemicals - high durability - effective utilized resources in manufacturing and use	
Developed and manufactured by the Vikan group for professionals.		





Vikan (UK) Ltd 1 - 3 Avro Gate, Broadmoor Road, South Marston Park Swindon, Wiltshire SN3 4AG Telephone No: 01793 71 67 60 e-mail sales@vikan.co.uk



Vikan (UK) Ltd 1 - 3 Avro Gate, Broadmoor Road, South Marston Park Swindon, Wiltshire SN3 4AG Telephone No: 01793 71 67 60 e-mail sales@vikan.co.uk