


# Wall Bracket

9.4", Orange



Item Number: 06157



With a smooth, easy-to-clean surface and ultra-hygienic design, this Wall Bracket is free of holes or crevices that could contain dirt or debris. Store cleaning tools on Wall Brackets to increase their durability.

## General Information

Color	Orange
Material	Polypropylene, TPE Rubber
UNSPSC Code	47131613
Country of Origin	Denmark

## Product Dimensions

Product Length/Depth	9.4 "
Product Width	6.7 "
Product Height	2.4 "
Net Weight	0.5071 lbs

## Packaging & Shipping Details

Box Quantity	418 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	513 Pcs.
Quantity Per Layer (Pallet)	19 Pcs.
Box Length/Depth	10 "
Box Width	6.9 "
Box Height	2.8 "
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.14 lbs
Total Tare Weight	0.14 lbs
Gross Weight	0.6504 lbs
Cubic Feet	0.0865 ft3
GTIN-13 Number	5705020061578
GTIN-14 Number (Box quantity)	15705028034045
Customs Tariff Number	39241000

## Compliance & Standard Details

Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
---	----

## Item Number: 06157

Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Phthalates intentionally added	No
Bisphenols intentionally added	No

## Usage Limits

Recommended sterilisation temperature (Autoclave)	212 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

## Sustainability Details

Recycling Symbol "7", Miscellaneous Plastics	Yes
--	-----

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.  
3. Do not store the product below 32 °Fahrenheit.

