Hose Coupling 1/2" for 3/4" Hose(Q)







1/2" hose coupling for 3/4" hose.

Technical Data

| Item Number | 071352 |
|---|--|
| Couplings Size | 1/2 " |
| Material | Chromium-plated brass Galvanized steel (DIN 1.09035) Synthetic rubber |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes ** |
| Complies with California Proposition 65 | No |
| SCIP number | 095b5bea-9314-4e2d- 987b-8726dbd84c43 |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Box Quantity | 10 Pcs. |
| Quantity per Pallet (80 x 120 x 180-200 cm) | 3180 Pcs |
| Quantity Per Layer (Pallet) | 0 Pcs. |
| Box Length | 330 mm |
| Box Width | 180 mm |
| Box Height | 85 mm |
| Length | 160 mm |
| Width | 67 mm |
| Height | 40 mm |
| Net Weight | 0.1 kg |
| Weight cardboard (Recycling symbol "20" PAP) | 0.01 kg |
| Tare total | 0.01 kg |
| Gross Weight | 0.11 kg |
| Cubic metre | 0.000429 M3 |
| Max. bars pressure | 25 Bar |
| Max usage temperature (non food contact) | 80 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 12 pH |
| GTIN-13 Number | 5705020713521 |
| GTIN-14 Number (Box quantity) | 15705020713528 |
| Customs Tariff No. | 74122000 |
| Country of origin | Denmark |
| | |

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

^{**} Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern

(SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.