## Spare part Grip Band Module for 1011x, 1013x & HyGo, 5700x, Black







## **Technical Data**

| ecycling Symbol "7", Miscellaneous Plastics omplies with (EC) 1935/2004 on food contact materials¹ omplies with EU Regulation 2023/2006/EC of Good anufacturing Practice omplies with FDA RegulationI CFR 21¹ omplies with UK 2019 No. 704 on food contact materials omplies with REACH Regulation (EC) No. 1907/2006 | Polypropylene TPE Rubber  Yes  No Yes  Yes  Yes  Yes  Yes  Yes  Yes  Yes |
|---|--|
| omplies with (EC) 1935/2004 on food contact materials¹ omplies with EU Regulation 2023/2006/EC of Good anufacturing Practice omplies with FDA RegulationI CFR 21¹ omplies with UK 2019 No. 704 on food contact materials  | Yes Yes Yes Yes Yes Yes No   |
| omplies with EU Regulation 2023/2006/EC of Good anufacturing Practice omplies with FDA RegulationI CFR 21¹ omplies with UK 2019 No. 704 on food contact materials   | Yes Yes Yes Yes Yes Yes No   |
| anufacturing Practice omplies with FDA RegulationI CFR 21¹ omplies with UK 2019 No. 704 on food contact materials   | Yes Yes Yes Yes Yes No   |
| omplies with UK 2019 No. 704 on food contact materials  | Yes Yes Yes Yes No   |
| <u>'</u>  | Yes<br>Yes<br>Yes<br>No  |
| omplies with REACH Regulation (EC) No. 1907/2006  | Yes<br>Yes<br>No   |
|   | Yes<br>No  |
| omplies with California Proposition 65  | No   |
| omplies with Halal and Kosher   |  |
| FAS, Phthalates and BPA intentionally added   | 15 Pcs.  |
| ox Quantity   |  |
| uantity per Pallet (80 x 120 x approx.180 cm)   | 2400 Pcs   |
| uantity Per Layer (Pallet)  | 240 Pcs.   |
| ox Length/Depth   | 293 mm   |
| ox Width  | 190 mm   |
| ox Height   | 175 mm   |
| roduct Length/Depth   | 80 mm  |
| roduct Width  | 70 mm  |
| roduct Height   | 48 mm  |
| et Weight   | 0.05791 kg   |
| eight bag (Recycling Symbol "4")  | 0.0048 kg  |
| eight cardboard (Recycling symbol "20" PAP)   | 0.008002 kg  |
| otal Tare Weight  | 0.012802 kg  |
| ross Weight   | 0.07 kg  |
| ubic metre  | 0.000269 M3  |
| ecommended sterilisation temperature (Autoclave)  | 121 °C   |
| ax. cleaning temperature (Dishwasher)   | 93 °C  |
| ax usage temperature (food contact)   | 40 °C  |
| ax usage temperature (non food contact)   | 80 °C  |
| in. usage temperature³  | 0 °C   |
| in. pH-value in usage concentration   | 2 pH   |
| ax. pH-value in Usage Concentration   | 10.5 pH  |
| TIN-13 Number   | 5705022036369  |
| TIN-14 Number (Box quantity)  | 15705028036353   |
| ustoms Tariff Number  | 39241000   |

Country of Origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact