Hygienic Wall Bracket, Grip Band Module, 82 mm, Pink





The Grip band module is designed for hanging cleaning tools without a hanging hole. Slide the Grip band module onto the supplied double-base/spacer from the left or right side. The Grip module can hold products with a diameter of 25-35 mm. The Grip band module is easy to disassemble for cleaning or replacement.

Technical Data

Material Polypropylene TPE Rubber Polyamide Product Recycling Symbol "5", Polypropylene (PP) No Product Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 375 Pcs. Quantity Per Layer (Pallet) 75 Pcs. Box Length/Depth 258 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Height A8 mm Net Weight bag (Recycling Symbol "4") 0.0024 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Min. usage temperature (non food contact) Min. usage temperature³ 0 °C Min. usage temperature (non food contact) Min. usage temperature³	Item Number	10131
Product Recycling Symbol "5", Polypropylene (PP) No Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation CFR 21¹ Yes Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with TDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity For Pallet (80 x 120 x approx.180 cm) Sox Quantity Per Layer (Pallet) For	Holds products between	25 - 35 mm
Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21' Complies with HDA Regulation (EC) No. 1907/2006 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with TEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 375 Pcs. Box Length/Depth 256 mm Box Width 230 mm Box Width 230 mm Box Width 85 mm Product Length/Depth 82 mm Product Length/Depth 84 mm Net Weight Weight bag (Recycling Symbol "4") 0.08201 kg Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.01 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature (non food contact)	Material	
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher Yes PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity For Pallet (80 x 120 x approx.180 cm) Box Length/Depth Sox Length/Depth Sox Height Box Width Som Meight Product Length/Depth 82 mm Product Length/Depth 84 mm Net Weight No No No No No No No No No N	Product Recycling Symbol "5", Polypropylene (PP)	No
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity For Layer (Pallet) For Ess Box Length/Depth Sox Height Box Width Sox Height Box Height Product Length/Depth Box Height Net Weight Weight cardboard (Recycling symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Tood contact) Max usage temperatures 1 ° C Min. usage temperatures	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity Spress Quantity Per Pallet (80 x 120 x approx.180 cm) Spress Box Length/Depth Spress Box Width Spress Box W	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Design Registration No. EU 008195606-0006, US D977943 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 375 Pcs. Quantity Per Layer (Pallet) 5 Pcs. Box Length/Depth 258 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Usidth 87 mm Product Width 87 mm Product Height 0.08201 kg Weight bag (Recycling Symbol "4") 0.00232 kg Total Tare Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature (non food contact) Min. usage temperature (ood contact)	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity Focs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) To Pcs. Box Length/Depth Box Width Box Width Box Height Product Length/Depth Product Length/Depth Product Width Product Width Product Height No. 0.004 kg Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (non food contact) Max usage temperature 3 0 °C Min. usage temperature 3	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity Focs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Focs. Box Length/Depth Box Width Box Width Box Height Froduct Length/Depth Product Udith Product Height No.08201 kg Weight bag (Recycling Symbol "4") Weight Cardboard (Recycling symbol "20" PAP) Cubic metre O.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature³ O ° C Min. usage temperature³ O ° C Min. usage temperature³ O ° C Min. usage temperature³	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity Foc. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth Box Width Box Width Box Height Product Length/Depth Product Length/Depth 82 mm Product Height Not Weight Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature (10 Service of the	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally added Design Registration No. EU 008195606-0006, US D977943 Box Quantity Foc. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth Box Width Box Width Box Height Product Length/Depth Product Length/Depth 82 mm Product Width 87 mm Product Height Not Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (no food contact) Min. usage temperature (a 0 ° C Min. usage temperature (a C Min. usage temperature (a 0 ° C Min. usage temperature (a C Min. usage t	Complies with California Proposition 65	Yes
Design Registration No. EU 008195606-0006, US D977943 Box Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 75 Pcs. Box Length/Depth 258 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Height 48 mm Net Weight 48 mm Net Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (an food contact) Min. usage temperature (an food contact)	Complies with Halal and Kosher	Yes
Box Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 75 Pcs. Quantity Per Layer (Pallet) 75 Pcs. Box Length/Depth 258 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Width 87 mm Product Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Total Tare Weight 0.011 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (non food contact) Max usage temperature ³ 0 ° C Min. usage temperature ³	PFAS intentionally added	No
Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Box Width Box Height Box Height Product Length/Depth 82 mm Product Width 87 mm Product Height 48 mm Net Weight Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 3 0 °C Min. usage temperature 3	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)75 Pcs.Box Length/Depth258 mmBox Width230 mmBox Height85 mmProduct Length/Depth82 mmProduct Width87 mmProduct Height48 mmNet Weight bag (Recycling Symbol "4")0.08201 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTotal Tare Weight0.011 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °C	Box Quantity	5 Pcs.
Box Length/Depth 258 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Width 87 mm Product Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Total Tare Weight 0.11 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	375 Pcs.
Box Width 230 mm Box Height 85 mm Product Length/Depth 82 mm Product Width 87 mm Product Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Total Tare Weight 0.0272 kg Gross Weight 0.011 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C	Quantity Per Layer (Pallet)	75 Pcs.
Box Height85 mmProduct Length/Depth82 mmProduct Width87 mmProduct Height48 mmNet Weight0.08201 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTotal Tare Weight0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °C	Box Length/Depth	258 mm
Product Length/Depth 82 mm Product Width 87 mm Product Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Total Tare Weight 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0.000342 M3	Box Width	230 mm
Product Width 87 mm Product Height 48 mm Net Weight 0.08201 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Total Tare Weight 0.0272 kg Gross Weight 0.11 kg Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0.08201 kg	Box Height	85 mm
Product Height48 mmNet Weight0.08201 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTotal Tare Weight0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °C	Product Length/Depth	82 mm
Net Weight0.08201 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTotal Tare Weight0.0272 kgGross Weight0.11 kgCubic metre0.000342 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °C	Product Width	87 mm
Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0.004 kg 0.00232 kg 0.00272 kg 0.00272 kg 0.00342 M3 0.000342 M3 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact)	Product Height	48 mm
Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight O.0272 kg Gross Weight Cubic metre O.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ O.0232 kg O.0272 kg O.00342 kg O.00342 kg O.00342 kg O.00272 kg O.00272 kg O.000342 M3 O.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) O °C Min. usage temperature³	Net Weight	0.08201 kg
Total Tare Weight Gross Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0.0272 kg 0.000342 M3 0.000342 M3 40 °C 80 °C Min. usage temperature (non food contact)	Weight bag (Recycling Symbol "4")	0.004 kg
Gross Weight Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0.11 kg 0.000342 M3 0.000342 M3 20 °C Max. cleaning temperature (Dishwasher) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³	Weight cardboard (Recycling symbol "20" PAP)	0.0232 kg
Cubic metre 0.000342 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 40 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³	Total Tare Weight	0.0272 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³	Gross Weight	0.11 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)40 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °C	Cubic metre	0.000342 M3
Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ 0 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ 0 °C	Max. usage temperature (food contact)	40 °C
	Max usage temperature (non food contact)	80 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	0 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022029200
GTIN-14 Number (Box quantity)	15705028029195
Customs Tariff Number	39241000
UNSPSC Code	47131613
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.