## Rubber Clip x 4 for 1017 and 1018, 120 mm, Pink





4 rubber clips and 8 securing pins for wall brackets 1017x and 1018x. Rubber clips can hold products with diameters of 25–35 mm.

## **Technical Data**

Material         TPE Rubber           Complies with (EC) 1935/2004 on food contact materials¹         No           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation I CFR 21¹         Yes           Complies with FDA Regulation (EC) No. 1907/2006         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Box Quantity         5 Pcs.           Guantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Box Length/Depth         200 mm           Box Length/Depth         200 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight bag (Recycling Symbol "4")         0.05 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         3°C           Max. pt-value in usage concentration         2 pH           Max. pt-val	Item Number	10191
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation ICFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       No         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         Box Quantity       5 Pcs.         Quantity per Pallet (80 x 120 x approx.180 cm)       3200 Pcs         Quantity Per Layer (Pallet)       1 Pcs.         Box Length/Depth       200 mm         Box Width       80 mm         Box Height       20 mm         Product Length/Depth       120 mm         Product Width       80 mm         Product Width       80 mm         Product Height       20 mm         Net Weight bag (Recycling Symbol "4")       0.05 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0104 kg         Total Tare Weight       0.07 kg         Cubic metre       0.000192 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Min. usage temperature (Dishwasher)       90 °C         Min. usage temperature (Di	Material	TPE Rubber
Manufacturing Practice         Complies with FDA Regulation CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       No         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         Box Quantity       5 Pcs.         Quantity per Pallet (80 x 120 x approx.180 cm)       3200 Pcs         Quantity Per Layer (Pallet)       1 Pcs.         Box Length/Depth       200 mm         Box Width       80 mm         Box Width       80 mm         Box Height       20 mm         Product Length/Depth       120 mm         Product Width       80 mm         Product Weight       0.05 kg         Weight bag (Recycling Symbol "4")       0.05 kg         Weight bag (Recycling Symbol "4")       0.05 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0104 kg         Gross Weight       0.07 kg         Qubic metre       0.000192 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperatures       0 °C         Min. usage temperature	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials       No         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         Box Quantity       5 Pcs.         Quantity per Pallet (80 x 120 x approx.180 cm)       3200 Pcs         Quantity Per Layer (Pallet)       1 Pcs.         Box Length/Depth       200 mm         Box Width       80 mm         Box Height       20 mm         Product Length/Depth       120 mm         Product Width       80 mm         Product Weight       0.05 kg         Weight bag (Recycling Symbol "4")       0.05 kg         Weight bag (Recycling Symbol "4")       0.0052 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0104 kg         Total Tare Weight       0.07 kg         Gross Weight       0.07 kg         Cubic metre       0.000192 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       80 °C         Min. usage temperature (non food contact)       80 °C         Min. pH-value in usage Concentration	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight bag (Recycling Symbol "4")         0.05 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.07 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature*         0 °C           Min. usage temperature*         0 °C           Min. usage temperature (non food contact)         80 °C           Min. pH-value in usage Concentration         10.5 pH           GTIN-13 Nu	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         0.05 kg           Weight bag (Recycling Symbol "4")         0.052 kg           Weight bag (Recycling Symbol "4")         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterillisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff	Complies with UK 2019 No. 704 on food contact materials	No
Complies with Halal and Kosher         Yes           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.07 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterillisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Min. usage temperature (non food contact)         80 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101915           Customs Tariff Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Min. usage temperature*         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Complies with California Proposition 65	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)         3200 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature³         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet)         1 Pcs.           Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature³         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Box Quantity	5 Pcs.
Box Length/Depth         200 mm           Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperatures         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Quantity per Pallet (80 x 120 x approx.180 cm)	3200 Pcs
Box Width         80 mm           Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature³         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Quantity Per Layer (Pallet)	1 Pcs.
Box Height         20 mm           Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.007 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature'         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Box Length/Depth	200 mm
Product Length/Depth         120 mm           Product Width         80 mm           Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature³         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Box Width	80 mm
Product Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Height	20 mm
Product Height         20 mm           Net Weight         0.05 kg           Weight bag (Recycling Symbol "4")         0.0052 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0104 kg           Total Tare Weight         0.0156 kg           Gross Weight         0.07 kg           Cubic metre         0.000192 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature³         0 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           GTIN-13 Number         5705020101915           GTIN-14 Number (Box quantity)         15705020101912           Customs Tariff Number         39241000           Country of Origin ISO Code         DK	Product Length/Depth	120 mm
Net Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Width	80 mm
Weight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Height	20 mm
Weight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.007 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Net Weight	0.05 kg
Total Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight bag (Recycling Symbol "4")	0.0052 kg
Gross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight cardboard (Recycling symbol "20" PAP)	0.0104 kg
Cubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Total Tare Weight	0.0156 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Gross Weight	0.07 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Cubic metre	0.000192 M3
Max usage temperature (non food contact)80 °CMin. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Max. cleaning temperature (Dishwasher)	93 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101915GTIN-14 Number (Box quantity)15705020101912Customs Tariff Number39241000Country of Origin ISO CodeDK	Min. usage temperature³	0 °C
GTIN-13 Number 5705020101915 GTIN-14 Number (Box quantity) 15705020101912 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity)  Customs Tariff Number  39241000  Country of Origin ISO Code  DK	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff Number 39241000 Country of Origin ISO Code DK	GTIN-13 Number	5705020101915
Country of Origin ISO Code DK	GTIN-14 Number (Box quantity)	15705020101912
	Customs Tariff Number	39241000
Country of Origin Denmark	Country of Origin ISO Code	DK
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.