10192 Rubber Clip x 4 for 1017 and 1018, 120 mm, Green





FDA

4 rubber clips and 8 securing pins for wall brackets 1017x and 1018x. Rubber clips can hold products with diameters of 25–35 mm.

## **Technical Data**

MaterialTPE RubberComplies with EC) 1935/2004 on food contact materials'NoComplies with EV Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation 1CFR 21'YesComplies with FDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesBox Quantity5 Pes.Quantity per Pallet (80 x 120 x approx.180 cm)3200 Pes.Box Length/Depth0 Pes.Box Length/Depth80 mmBox Width80 mmBox Width80 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth0.055 kgWeight cardboard (Recycling symbol "20" PAP)0.0156 kgWeight cardboard (Recycling symbol "20" PAP)0.0166 kgGross Weight0.07 kgCubic metre0.000192 kgMax usage temperature (Dishwasher)93 °CMax usage temperature (Ion food contact)80 °CMin. usage temperature (Ion food contact)20 °CMin. pH-value in usage concentration2 pHMax. pH-value in usage concentration2 pH <th>Item Number</th> <th>10192</th>	Item Number	10192
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsNoComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesBox Quantity5 Pcs.Box Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth0.05 kgWeight bag (Recycling symbol "4")0.05 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.07 kgCubic metre0.001192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Leaning temperature (Dishwasher)93 °CMax. usage temperature'0 °CMin. usage temperature'0 °CMin. usage temperature'0 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHCustoms Tariff Number39241000Country of Origin ISO CodeDK	Material	TPE Rubber
Manufacturing PractičeComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsNoComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Width80 mmProduct Length/Depth120 mmProduct Length/Depth20 mmProduct Length/Depth0.05 kgWeight bag (Recycling Symbol "4")0.052 kgWeight bag (Recycling Symbol "20" PAP)0.01156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)23 °CMin. usage temperature (IDishwasher)29 HMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 p3 °CGuitny eff Coluc30 °CGitni-14 Number (Box quantity)15705020101922Customs Tariff Number39241000Country of Origin ISO CodeDK	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materialsNoComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth20 mmProduct Length/Depth0.05 kgWeight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (In food contact)80 °CMin. usage temperature (IDishwasher)2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth0.00 mmProduct Length/Depth0.00 mmProduct Kidth80 mmProduct Kidth80 mmProduct Height0.00 mmProduct Height0.00 mmProduct Height0.00 mmRecycling Symbol "4")0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (Ion food contact)80 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth0.005 kgWeight0.05 kgWeight bag (Recycling Symbol "4")0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.007 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMin. usage temperature (non food contact)80 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration30 °CGTIN-14 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Complies with UK 2019 No. 704 on food contact materials	No
Complies with Halal and KosherYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Kleight20 mmProduct Length/Depth120 mmProduct Length/Depth20 mmProduct Length/Depth0.05 kgWeight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.07 kgCubic metre0.000192 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature³0 °CMin. usage temperature and the store of the store	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth20 mmProduct Width80 mmProduct Width0.05 kgWeight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Complies with California Proposition 65	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)3200 PcsQuantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Length/Depth120 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperatures0 °CMin. usage temperatures0 °CMin. usage concentration2 pHMax. pH-value in usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet)0 Pcs.Box Length/Depth360 mmBox Width80 mmBox Width20 mmProduct Length/Depth120 mmProduct Length/Depth120 mmProduct Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.0156 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature (In food contact)80 °CMin. usage temperature (Dishwasher)2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Quantity	5 Pcs.
Box Length/Depth360 mmBox Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Width80 mmProduct Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.0156 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Quantity per Pallet (80 x 120 x approx.180 cm)	3200 Pcs
Box Width80 mmBox Height20 mmProduct Length/Depth120 mmProduct Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.017 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature (Oishwasher)93 °CMin. usage temperature (Dishwasher)2 pHMax. pH-value in usage concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Quantity Per Layer (Pallet)	0 Pcs.
Box Height20 mmProduct Length/Depth120 mmProduct Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.017 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage concentration0 °CMin. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Length/Depth	360 mm
Product Length/Depth120 mmProduct Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.017 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Width	80 mm
Product Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Height	20 mm
Product Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Length/Depth	120 mm
Net Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMin. usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Width	80 mm
Weight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Height	20 mm
Weight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Net Weight	0.05 kg
Total Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight bag (Recycling Symbol "4")	0.0052 kg
Gross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. nusage temperature³0 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight cardboard (Recycling symbol "20" PAP)	0.0104 kg
Cubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Total Tare Weight	0.0156 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Gross Weight	0.07 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Cubic metre	0.000192 M3
Max usage temperature (non food contact)80 °CMin. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Max. cleaning temperature (Dishwasher)	93 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101922GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Min. usage temperature <sup>3</sup>	0 °C
GTIN-13 Number 5705020101922   GTIN-14 Number (Box quantity) 15705020101929   Customs Tariff Number 39241000   Country of Origin ISO Code DK	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity)15705020101929Customs Tariff Number39241000Country of Origin ISO CodeDK	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff Number39241000Country of Origin ISO CodeDK	GTIN-13 Number	5705020101922
Country of Origin ISO Code DK	GTIN-14 Number (Box quantity)	15705020101929
	Customs Tariff Number	39241000
Country of Origin Denmark	Country of Origin ISO Code	DK
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.