Rubber Clip x 4 for 1017 and 1018, 120 mm, Red







4 rubber clips and 8 securing pins for wall brackets 1017x and 1018x. Rubber clips can hold products with diameters of 25–35 mm.

Technical Data

Material TPE Rubber Complies with (EC) 1935/2004 on food contact materials¹ No Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Box Quantity 5 Pcs. Guantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Length/Depth 20 mm Box Height 20 mm Product Length/Depth 120 mm Product Length/Depth 20 mm Product Height 20 mm Product Height 20 mm Net Weight bag (Recycling Symbol "4") 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwas	Item Number	10194
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Width 80 mm Product Height 20 mm Net Weight bag (Recycling Symbol "4") 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Min. usage temperature (Dishwasher) 90 °C Min. usage temperature (Di	Material	TPE Rubber
Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Yes Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 0.05 kg Weight bag (Recycling Symbol "4") 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.1014 kg Total Tare Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (no food contact) 80 °C Mi	Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials No Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling Symbol "20" PAP) 0.0104 kg Total Tare Weight 0.07 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature* 0 °C Min. pH-value in usage concentration 10.5 pH GTIN-13 Number 5705020101946 <	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight bag (Recycling Symbol "4") 0.05 kg Weight bag (Recycling Symbol "4") 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.07 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature* 0 °C Min. usage temperature* 0 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH <th< th=""><th>Complies with FDA RegulationI CFR 21¹</th><th>Yes</th></th<>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 0.05 kg Weight bag (Recycling Symbol "4") 0.052 kg Weight bag (Recycling Symbol "4") 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff	Complies with UK 2019 No. 704 on food contact materials	No
Complies with Halal and Kosher Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.07 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code	Complies with California Proposition 65	Yes
Quantity per Pallet (80 x 120 x approx.180 cm) 3200 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Box Quantity	5 Pcs.
Box Length/Depth 360 mm Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.007 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperatures 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101946 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Quantity per Pallet (80 x 120 x approx.180 cm)	3200 Pcs
Box Width 80 mm Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.007 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101948 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Quantity Per Layer (Pallet)	0 Pcs.
Box Height 20 mm Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.007 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature' 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Box Length/Depth	360 mm
Product Length/Depth 120 mm Product Width 80 mm Product Height 20 mm Net Weight 0.05 kg Weight bag (Recycling Symbol "4") 0.0052 kg Weight cardboard (Recycling symbol "20" PAP) 0.0104 kg Total Tare Weight 0.0156 kg Gross Weight 0.07 kg Cubic metre 0.000192 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ 0 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Box Width	80 mm
Product Width80 mmProduct Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Box Height	20 mm
Product Height20 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Length/Depth	120 mm
Net Weight0.05 kgWeight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Width	80 mm
Weight bag (Recycling Symbol "4")0.0052 kgWeight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Product Height	20 mm
Weight cardboard (Recycling symbol "20" PAP)0.0104 kgTotal Tare Weight0.0156 kgGross Weight0.007 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Net Weight	0.05 kg
Total Tare Weight0.0156 kgGross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight bag (Recycling Symbol "4")	0.0052 kg
Gross Weight0.07 kgCubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Weight cardboard (Recycling symbol "20" PAP)	0.0104 kg
Cubic metre0.000192 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Total Tare Weight	0.0156 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Gross Weight	0.07 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature³0 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Cubic metre	0.000192 M3
Max usage temperature (non food contact)80 °CMin. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature30 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Max. cleaning temperature (Dishwasher)	93 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020101946GTIN-14 Number (Box quantity)15705020101943Customs Tariff Number39241000Country of Origin ISO CodeDK	Min. usage temperature³	0 °C
GTIN-13 Number 5705020101946 GTIN-14 Number (Box quantity) 15705020101943 Customs Tariff Number 39241000 Country of Origin ISO Code DK	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) Customs Tariff Number 39241000 Country of Origin ISO Code DK	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff Number 39241000 Country of Origin ISO Code DK	GTIN-13 Number	5705020101946
Country of Origin ISO Code DK	GTIN-14 Number (Box quantity)	15705020101943
	Customs Tariff Number	39241000
Country of Origin Denmark	Country of Origin ISO Code	DK
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.