

1121



Magnet für Schattenwand
m/M6 innen Gewinde
(Unterlegscheibe und
Schraube) , Ø66 mm,
Schwarz



Es liegt in der Verantwortung des Kunden, sicherzustellen, dass die Wandoberfläche/Montage für die Verwendung des Magneten geeignet ist.

Reservations:

The attraction of a magnet and a certain magnetisable material depend on the specifications of that material.

The attraction of a magnet and a certain magnetisable material depend on the thickness of the material as well as other geometric specifications resulting in possible deviations in the measurements. The attraction of a magnet and a certain magnetisable material depend on the degree of the polished surfaces.

Technische Daten

Artikelnummer	1121
Material	Edelstahl (AISI 304) Thermoplastic Vulkanisate (TPV)
VE	1 Stk.
Anzahl je Palette (80 x 120 x etwa. 180 cm)	300 Stk.
Anzahl pro Lage (Palette)	0 Stk.
Colli Länge/Tiefe	0 mm
Colli Breite	0 mm
Colli Höhe	0 mm
Produkt Durchmesser	66 mm
Höhe	7,5 mm
Nettogewicht	0,11 kg
Gewicht Karton (Recycling symbol "20" PAP)	0 kg
Total Tare Weight	0 kg
Bruttogewicht	0,11 kg.
Min. Gebrauchtemperatur³	0 °C
Max. Verwendungstemperatur (kein Lebensmittelkontakt)	20 °C
GTIN-13 Nummer	5705022038592
GTIN-14 Nummer (Kartonanzahl)	15705028038609
Zolltarif	85051990
Ursprungsland ISO Code	DE
Ursprungsland	Deutschland

WARNING

Pacemaker:

Magnets could affect the functioning of pacemakers and implanted heart defibrillators.

Magnetic Field:

Magnets produce a far-reaching strong magnetic field. They could damage TV's and laptops, computer hard drives, credit and ATM-cards, data storage, mechanical watches, hearing aids and speakers.

Postage:

Magnetic fields of improperly packaged magnets could cause disturbances in sorting machines and damage fragile goods in other packages.

- use a large box and place the magnet in the middle surrounded by lots of padding material
- Arrange magnets in a package in a way that the magnetic field neutralise each other
- If necessary use sheet iron to shield the magnetic field