

1121



Magnet for shadow board
w/M6 internal thread (bolt
and washer), Ø66 mm,
Black



It is the customers responsibility to ensure the wall surface/assembly is suitable for magnet use.

Reservations: The attraction of a magnet and a certain magnetisable material depend on the specifications of that material. The attraction of a magnet and a certain magnetisable material depend on the thickness of the material as well as other geometric specifications resulting in possible deviations in the measurements.

The attraction of a magnet and a certain magnetisable material depend on the degree of the polished surfaces.

Technical Data

Item Number	1121
Material	Stainless Steel (AISI 304) Thermoplastic Vulkanisate (TPV)
Box Quantity	1 Pcs.
Quantity Per Layer (Pallet)	0 Pcs.
Box Length	0 mm
Box Width	0 mm
Box Height	0 mm
Product Diameter	66 mm
Height	7.5 mm
Net Weight	0.11 kg
Weight cardboard (Recycling symbol "20" PAP)	0 kg
Tare total	0 kg
Gross Weight	0.11 kg
Min. usage temperature³	0 °C
Max usage temperature (non food contact)	20 °C
GTIN-13 Number	5705022038592
GTIN-14 Number (Box quantity)	15705028038609
Customs Tariff No.	85051990
Country of origin	Germany

WARNING

Pacemaker:

Magnets could affect the functioning of pacemakers and implanted heart defibrillators.

Magnetic Field:

Magnets produce a far-reaching strong magnetic field. They could damage TV's and laptops, computer hard drives, credit and ATM-cards, data storage, mechanical watches, hearing aids and speakers.

Postage:

Magnetic fields of improperly packaged magnets could cause disturbances in sorting machines and damage fragile goods in other packages.

- use a large box and place the magnet in the middle surrounded by lots of padding material
- Arrange magnets in a package in a way that the magnetic field neutralise each other
- If necessary, use sheet iron to shield the magnetic field