

1121



Aimant pour shadow board  
avec pas de vis interne M6  
(pas de visserie), Ø66 mm,  
Noir



It is the customers responsibility to ensure the wall surface/assembly is suitable for magnet use.

Reservations: The attraction of a magnet and a certain magnetisable material depend on the specifications of that material. The attraction of a magnet and a certain magnetisable material depend on the thickness of the material as well as other geometric specifications resulting in possible deviations in the measurements.

The attraction of a magnet and a certain magnetisable material depend on the degree of the polished surfaces.

# Données techniques

<b>Article Numéro</b>	1121
<b>Matériau</b>	Acier inoxydable (AISI 304) Thermoplastic Vulkanisate (TPV)
<b>Quantité par Carton</b>	1 Pcs.
<b>Quantité par Palette (80 x 120 x 180 cm)</b>	300 Pcs.
<b>Quantité par couche (Palette)</b>	0 Pcs.
<b>Colis Longueur/Profondeur</b>	0 mm
<b>Colis Largeur</b>	0 mm
<b>Colis Hauteur</b>	0 mm
<b>Diamètre du produit</b>	66 mm
<b>Hauteur</b>	7,5 mm
<b>Poids net</b>	0,11 kg
<b>Poids carton (Recycling symbol "20" PAP)</b>	0 kg
<b>Total Tare Weight</b>	0 kg
<b>Poids brut</b>	0,11 kg
<b>Température d'utilisation min.<sup>3</sup></b>	0 °C
<b>Température max. d'utilisation (pour contact non-alimentaire)</b>	20 °C
<b>Code GTIN-13</b>	5705022038592
<b>Code GTIN-14</b>	15705028038609
<b>Code de marchandise</b>	85051990
<b>Pays d'origine Code ISO</b>	DE
<b>Pays d'origine</b>	Allemagne

## WARNING

Pacemaker:

Magnets could affect the functioning of pacemakers and implanted heart defibrillators.

Magnetic Field:

Magnets produce a far-reaching strong magnetic field. They could damage TV's and laptops, computer hard drives, credit and ATM-cards, data storage, mechanical watches, hearing aids and speakers.

Postage:

Magnetic fields of improperly packaged magnets could cause disturbances in sorting machines and damage fragile goods in other packages.

- use a large box and place the magnet in the middle surrounded by lots of padding material
- Arrange magnets in a package in a way that the magnetic field neutralise each other
- If necessary use sheet iron to shield the magnetic field