


29106

## Table & Floor Scraper, 260 mm, Yellow



Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

# Technical Data

Item Number	29106
Blade Thickness	1 mm
Connection	Threaded
Material	Polypropylene Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	800 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Box Length/Depth	385 mm
Box Width	290 mm
Box Height	180 mm
Product Length/Depth	32 mm
Product Width	260 mm
Product Height	155 mm
Net Weight	0.26 kg
Plastic Packaging (Recycling Symbol "4")	0.0087 kg
Cardboard Packaging (Recycling symbol "20" PAP)	0.0254 kg
Total Tare Weight	0.0341 kg
Gross Weight	0.29 kg
Cubic metre	0.00129 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (food contact)	170 °C
Max usage temperature (non food contact)	170 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020291067

<b>GTIN-14 Number (Box quantity)</b>	15705020291064
<b>Customs Tariff Number</b>	82159910
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.