

29114

Nylon Table & Floor Scraper, 255 mm, Red



When you need a heavy-duty floor scraper that won't damage floors or machines, reach for the Vikan Nylon Scraper. When attached to any Vikan handle, the scraper blade can help clean the toughest messes. Use a Mini Handle to use it as a table scraper or attach it to a telescopic extension handle to reach high overhead. You can also add it to a standard-size handle for a ground scraper tool that is suitable for wet and dry applications.

This scraper is effective at loosening stubborn debris on floors and inside tanks and food containers. It can remove tough, stuck-on chocolate, dried food debris, and more on benchtops and work surfaces. It's an excellent choice for cleaning stainless steel work benches or epoxy floors, as the nylon blade is gentle on sensitive surfaces. Both sides of the solidly constructed blade scrape effectively thanks to its arrow shape.

Technical Data

Item Number	29114
Colour	Red
Blade Thickness	6.5 mm
Connection	Euro Threaded
Material	Nylon
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
PFAS intentionally added	No
Phthalates intentionally added	Data not available
Bisphenols intentionally added	Data not available
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	720 Pcs
Quantity Per Layer (Pallet)	60 Pcs.
Box Length/Depth	275 mm
Box Width	240 mm
Box Height	82 mm
Product Length/Depth	33 mm
Product Width	255 mm
Product Height	170 mm
Net Weight	0.227 kg
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.0254 kg
Total Tare Weight	0.0254 kg
Gross Weight	0.25 kg
Cubic metre	0.001431 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022049734
GTIN-14 Number (Box quantity)	15705028049742
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

3. Do not store the product below 0° Celsius.