Aluminum Handle, Ø31 mm, 1510 mm, Pink





Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.

Technical Data

Material Anodised Aluminium Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Length/Depth 1510 mm Width 31 mm Length/Depth 57 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg	Item Number	29371
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher No Design Registration No. Design Registration No. Design Registration No. Design Registration No. Quantity 10 Pcs. Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.557 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (Infood contact) 100 °C Max. usage temperature 100 °C Max. usage temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 8 pH	Material	
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Box Length T5 mm Box Length T5 mm Box Height 190 mm Box Height 191 mm Product Diameter 191 mm Length/Depth 1910 mm Width 1910 mm Net Weight 1910	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 1910 mm Width 1910 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature Min. pH-value in usage concentration Min. pH-value in usage concentration Min. pH-value in usage Concentration Min. usage temperature Min.	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (Ion food contact) 100 °C Max. usage temperature Min. pH-value in usage concentration 8 pH Max. pH-value in usage Concentration 8 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C </td <td>Complies with UK 2019 No. 704 on food contact materials</td> <td>Yes</td>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature and contact) 100 °C Min. usage temperature in food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration <t< td=""><td>Complies with REACH Regulation (EC) No. 1907/2006</td><td>Yes</td></t<>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. DE 401033756.8 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Tare total 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Complies with California Proposition 65	Yes
Design Registration No.DE 401033756.8Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width190 mmBox Height1545 mmProduct Diameter31 mmLength/Depth1510 mmWidth31 mmHeight31 mmNet Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterillisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Design Registration No.	DE 401033756.8
Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Tare total 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Box Quantity	10 Pcs.
Box Length 75 mm Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Box Width 190 mm Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Tare total 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 1545 mm Product Diameter 31 mm Length/Depth 1510 mm Width 31 mm Height 31 mm Net Weight 0.53 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Tare total 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Box Length	75 mm
Product Diameter31 mmLength/Depth1510 mmWidth31 mmHeight31 mmNet Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Width	190 mm
Length/Depth1510 mmWidth31 mmHeight3.1 mmNet Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Box Height	1545 mm
Width31 mmHeight31 mmNet Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Product Diameter	31 mm
Height31 mmNet Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Length/Depth	1510 mm
Net Weight0.53 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Width	31 mm
Weight cardboard (Recycling symbol "20" PAP)0.0408 kgTare total0.0408 kgGross Weight0.57 kgCubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Height	31 mm
Tare total 0.0408 kg Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Net Weight	0.53 kg
Gross Weight 0.57 kg Cubic metre 0.001451 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0408 kg
Cubic metre0.001451 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Tare total	0.0408 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Gross Weight	0.57 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Cubic metre	0.001451 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max. usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 8 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705020293719	Max. pH-value in Usage Concentration	8 pH
	GTIN-13 Number	5705020293719

GTIN-14 Number (Box quantity)	15/05020293/16
Customs Tariff No.	76169990
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.