29601

Ultra Hygienic Handle, Ø32 mm, 1300 mm, Pink







Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

MaterialPolypropylene Glass reinforcedProduct Recycling Symbol "7", Miscellaneous PlasticsYesComplies with EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with CA Regulation CFR 21'YesComplies with CA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, USDogantity10 Pes.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pes.Quantity Per Layer (Pallet)400 Pes.Box Length1320 mmBox Width195 mmBox Width195 mmBox Width32 mmHeight32 mmHeight32 mmHeight0.0364 kgGross Weight0.55 kgCubic metre0.03131 M3Recommended sterilisation temperature (Autoclave)121 "CMax. usage temperature (Diskwasher)83 "CMax. usage temperature food contact)100 "CMin.	Item Number	29601
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EU Regulation (CR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.55 kgCubic metre0.001331 M3Recommended sterillisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMax. usage temperature-20 °CMax. drying temperature-20 °C	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, USBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Height80 mmProduct Diameter32 mmWidth322 mmWidth32 mmKeight0.51 kgWeight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing PracticeComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D084,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmReight0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMax. drying temperature-20 °C <t< td=""><td>Complies with (EC) 1935/2004 on food contact materials¹</td><td>Yes</td></t<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SRouantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.51 kgWight cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °CMax. drying temperature100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmRegistr cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGusic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ios contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmLength/Depth0.0364 kgGross Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 008521926-0003, UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.51 kgWeight0.51 kgWeight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
UK 6133991, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmGross Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic cmetre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Design Registration No.	UK 6133991, US
Quantity Per Layer (Pallet)40 Pcs.Box Length1320 mmBox Width195 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs.
Box Width195 mmBox Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001/331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature a-20 °CMax. drying temperature100 °CMax. drying temperature100 °C	Box Length	1320 mm
Product Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	195 mm
Length/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °C	Box Height	80 mm
Width32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature a-20 °CMin. usage temperature100 °CMax. drying temperature100 °C	Product Diameter	32 mm
Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °C	Length/Depth	1300 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	32 mm
Tare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Net Weight	0.51 kg
Gross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0364 kg
Cubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0364 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001331 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max. usage temperature (food contact)	100 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296017
GTIN-14 Number (Box quantity)	15705020296014
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.