Ultra Hygienic Handle, Ø32 mm, 1300 mm, Green





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Connection Threaded Material Polypropylene Glass reinforced Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US 20984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 32 mm Product Height 32 mm Not Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3	Item Number	29602
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EUR Regulation CFR 21¹ Yes Complies with EUR Regulation CFR 21¹ Yes Complies with EUR 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US 5984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Diameter 32 mm Product Height 32 mm Product Height 32 mm Net Weight 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.055 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Intoclouct) 100 °C Min. usage temperature (no food contact) 100 °C Min. usage temperature?	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FUA Regulation 1 CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Width 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterillisation	Material	
Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice Compiles with FDA Regulation I CFR 21¹ Yes Compiles with UK 2019 No. 704 on food contact materials Yes Compiles with REACH Regulation (EC) No. 1907/2006 Yes Compiles with California Proposition 65 Yes Complies with Hala and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984.073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Length/Depth 1300 mm Product Width 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Inco food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 008521926-0003, UK 6133391, US 2084,073 s Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Width 32 mm Product Height 32 mm Product Width 32 mm Product Height 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwas	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Weight 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature and contact 100		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Weight 32 mm Product Height 32 mm Product Height 32 mm Product Height 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Height 80 mm Product Diameter 32 mm Product Udidth 32 mm Product Width 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Total Tare Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Height 32 mm Product Width 32 mm Product Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.055 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Total Tare Weight 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 s Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature" (non food contact) 100 °C Min. usage temperature" -20 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.055 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Design Registration No.	UK 6133991, US
Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.055 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length/Depth 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Total Tare Weight 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	400 Pcs
Box Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length/Depth	1320 mm
Product Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	195 mm
Product Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	80 mm
Product Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Diameter	32 mm
Product Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	1300 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	32 mm
Total Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.51 kg
Gross Weight Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ 0.001331 M3 0.001331 M3 121 °C 120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0364 kg
Cubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0364 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001331 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296024
GTIN-14 Number (Box quantity)	15705020296021
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.