## Ultra Hygienic Handle, Ø32 mm, 1300 mm, White





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

## **Technical Data**

Connection         Threaded           Material         Polypropylene Glass reinforced           Recycling Symbol "7", Miscellaneous Plastics         Yes           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with TDA Regulation ICFR 21'         Yes           Complies with EACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Tall and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0003, UK 6133991, US 20984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Height         80 mm           Product Diameter         32 mm           Product Width         32 mm           Product Height         32 mm           Not Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Total Tare Weight         0.55 kg           Cu	Item Number	29605
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EUR Regulation CFR 21¹ Yes Complies with EUR Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US 6133991, US 6133991, US 6133991, US 6133991, US D984.073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 80x Length/Depth 1320 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1300 mm Product Width 32 mm Product Width 32 mm Product Height 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.055 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperatures (no food contact) Min. usage temperatures 9 -20 °C	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹       Yes         Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FUA Regulation 1 CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 008521926-0003, UK 6133991, US D984,073 S         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x approx.180 cm)       400 Pcs.         Quantity Per Layer (Pallet)       40 Pcs.         Box Length/Depth       1320 mm         Box Width       195 mm         Box Height       80 mm         Product Diameter       32 mm         Product Width       32 mm         Product Width       32 mm         Product Width       32 mm         Net Weight       0.51 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0364 kg         Gross Weight       0.55 kg         Cubic metre       0.001331 M3         Recommended sterillisatio	Material	
Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Compiles with FDA Regulation I CFR 21¹ Yes  Compiles with UK 2019 No. 704 on food contact materials Yes  Compiles with REACH Regulation (EC) No. 1907/2006 Yes  Compiles with California Proposition 65 Yes  Complies with Hala and Kosher Yes  PFAS, Phthalates and BPA intentionally added No  Design Registration No. EU 008521928-0003, UK 6133991, US D984,073 S  Box Quantity 10 Pcs.  Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs  Quantity Per Layer (Pallet) 40 Pcs.  Box Length/Depth 1320 mm  Box Width 195 mm  Box Height 80 mm  Product Diameter 32 mm  Product Length/Depth 1300 mm  Product Length/Depth 1300 mm  Product Width 32 mm  Product Width 32 mm  Net Weight 0.51 kg  Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg  Gross Weight 0.55 kg  Cubic metre 0.001331 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max usage temperature (Dishwasher) 93 °C  Max usage temperature (non food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice         Complies with FDA RegulationI CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA Intentionally added         No           Design Registration No.         EU 008521926-00003, UK 61333991, US 2084,073 s           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Width         32 mm           Product Height         32 mm           Product Width         32 mm           Product Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (Dish	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 008521926-0003, UK 6133991, US D984,073 S         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x approx.180 cm)       400 Pcs.         Quantity Per Layer (Pallet)       40 Pcs.         Box Length/Depth       1320 mm         Box Width       195 mm         Box Height       80 mm         Product Diameter       32 mm         Product Width       32 mm         Product Width       32 mm         Product Weight       32 mm         Net Weight       0.51 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0364 kg         Gross Weight       0.55 kg         Cubic metre       0.001331 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature and contact       100		Yes
Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0003, UK 6133991, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Height         80 mm           Product Diameter         32 mm           Product Length/Depth         1300 mm           Product Width         32 mm           Product Weight         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Took contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature (non food contact)         100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0003, UK 6133991, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Height         80 mm           Product Diameter         32 mm           Product Udith         32 mm           Product Height         32 mm           Product Height         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.051 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>2</sup> -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0003, UK 6133991, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Height         32 mm           Product Width         32 mm           Product Height         32 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.055 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>2</sup> -20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0003, UK 6133991, US D984,073 s           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Length/Depth         1300 mm           Product Width         32 mm           Product Height         32 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Total Tare Weight         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperatures         -20 °C	Complies with California Proposition 65	Yes
Design Registration No.         EU 008521926-0003, UK 6133991, US D984,073 s           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Length/Depth         1300 mm           Product Width         32 mm           Product Height         32 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature?         -20 °C	Complies with Halal and Kosher	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x approx.180 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Length/Depth         1300 mm           Product Width         32 mm           Product Height         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.055 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Design Registration No.	UK 6133991, US
Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1320 mmBox Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.055 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length/Depth         1320 mm           Box Width         195 mm           Box Height         80 mm           Product Diameter         32 mm           Product Length/Depth         1300 mm           Product Width         32 mm           Product Height         32 mm           Net Weight         0.51 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0364 kg           Total Tare Weight         0.0364 kg           Gross Weight         0.55 kg           Cubic metre         0.001331 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	400 Pcs
Box Width195 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length/Depth	1320 mm
Product Diameter32 mmProduct Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	195 mm
Product Length/Depth1300 mmProduct Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	80 mm
Product Width32 mmProduct Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Diameter	32 mm
Product Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	1300 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0364 kgTotal Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	32 mm
Total Tare Weight0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.51 kg
Gross Weight  Cubic metre  0.001331 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0364 kg
Cubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0364 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001331 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296055
GTIN-14 Number (Box quantity)	15705020296052
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.