Ultra Hygienic Handle, Ø32 mm, 1300 mm, Yellow





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Material Polypropylene Glass reinforced Product Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (EFR 21¹ Yes Complies with MEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US 2094,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Length/Depth 1300 mm Width 32 mm Length/Depth 0.0364 kg	Item Number	29606
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Box Length 1320 mm Box Width 195 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact)	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. But 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Height 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 80 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Yes Complies with FDA Regulation (FR 21¹) Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 0008521926-0003, UK 6133991, US 0984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C <tr< th=""><th>Complies with (EC) 1935/2004 on food contact materials¹</th><th>Yes</th></tr<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 80 X Length 1320 mm Box Width 195 mm Box Width 195 mm Box Height 80 mm Product Diameter 232 mm Length/Depth 1300 mm Width 32 mm Height 80 ymm Net Weight 90 151 kg Weight cardboard (Recycling symbol "20" PAP) 130 155 kg Cubic metre 10.001331 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) Min. usage temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature </th <td>Complies with FDA RegulationI CFR 21¹</td> <td>Yes</td>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Min. usage temperature -20 °C Max. drying temperature -20 °C <td>Complies with REACH Regulation (EC) No. 1907/2006</td> <td>Yes</td>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 008521926-0003, UK 6133991, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (no food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.056 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Design Registration No.	UK 6133991, US
Quantity Per Layer (Pallet) 40 Pcs. Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.0364 kg Gross Weight 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Box Quantity	10 Pcs.
Box Length 1320 mm Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Gross Weight 0.0364 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs.
Box Width 195 mm Box Height 80 mm Product Diameter 32 mm Length/Depth 1300 mm Width 32 mm Height 32 mm Net Weight 0.51 kg Weight cardboard (Recycling symbol "20" PAP) 0.0364 kg Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	1320 mm
Product Diameter32 mmLength/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	195 mm
Length/Depth1300 mmWidth32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Box Height	80 mm
Width32 mmHeight32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Diameter	32 mm
Height32 mmNet Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length/Depth	1300 mm
Net Weight0.51 kgWeight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0364 kgTare total0.0364 kgGross Weight0.55 kgCubic metre0.001331 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Height	32 mm
Tare total 0.0364 kg Gross Weight 0.55 kg Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C	Net Weight	0.51 kg
Gross Weight Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0364 kg
Cubic metre 0.001331 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Tare total	0.0364 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature	Gross Weight	0.55 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001331 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max. usage temperature (food contact)	100 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296062
GTIN-14 Number (Box quantity)	15705020296069
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.