29622

Ultra Hygienic Handle, Ø32 mm, 1500 mm, Green





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

## **Technical Data**

ConnectionThreadedMaterialPolypropylene Glass reinforcedRecycling Symbol "7", Miscellaneous PlasticsYesComplies with (EC) 1935/2004 on food contact materials'YesComplies with EDA Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521925-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity Per Pallet (80 x 120 x approx.180 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Kleight00 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Vidth32 mmProduct Vidth32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgCoss Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (iod contact)100 "CManus asset temperature food contact)100 "CMark asset temperature food contact)100 "CMin. usage temperature food contact)100 "CMax usage temperature food contact)100 "CMax u	Item Number	29622
reinforced   Recycling Symbol "7", Miscellaneous Plastics Yes   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Manufacturing Practice Yes   Complies with FDA Regulation I CFR 21' Yes   Complies with KEACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Hala and Kosher Yes   Complies with Hala and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Design Registration No. UK 6133902, US D984,073 S   Box Quantity 10 Pcs.   Quantity Per Layer (Pallet) 400 Pcs.   Box Length/Depth 1520 mm   Box Width 200 mm   Box Width 32 mm   Product Diameter 32 mm   Product Length/Depth 1500 mm   Product Width 32 mm   Product Height 0.59 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg   Gross Weight 0.63 kg   Cubic metre 0.001536 M3   Recommended sterilisation temperatur	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Box Length/Depth1520 mmBox Kidth200 mmProduct Diameter32 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Length/Depth0.4008 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °C	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with WX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Read Regulation (EC) No. 1907/2006YesComplies with Atala and KosherYesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Width32 mmProduct Width0.408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing PracticeComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133993, USBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Height80 mmProduct Diameter32 mmProduct Diameter32 mmProduct Vidth32 mmProduct Width32 mmProduct Width0.0408 kgGross Weight0.638 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (IOs contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature*-20 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Height32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Width200 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Height32 mmProduct Height0.408 kgGross Weight0.638 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature <sup>6</sup> -20 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Length/Depth1500 mmProduct Length/Depth1500 mmProduct Height32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature³-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Length/Depth1500 mmProduct Kight32 mmProduct Kight0.59 kgWeight0.59 kgWeight0.638 kgGross Weight0.648 kgGross Weight0.638 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Width200 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Length/Depth1500 mmProduct Length/Depth32 mmProduct Keight0.59 kgWeight0.59 kgWeight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 008521926-0004, UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Height32 mmProduct Height0.59 kgWeight0.59 kgWeight0.0408 kgTotal Tare Weight0.0408 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with Halal and Kosher	Yes
UK 6133992, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Kidth200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Length/Depth1500 mmProduct Height32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Design Registration No.	UK 6133992, US
Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.63 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	400 Pcs
Box Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmProduct Height0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.0408 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C	Box Length/Depth	1520 mm
Product Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	200 mm
Product Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	80 mm
Product Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Diameter	32 mm
Product Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Length/Depth	1500 mm
Net Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	32 mm
Total Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.59 kg
Gross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0408 kg
Cubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0408 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.63 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001536 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296222
GTIN-14 Number (Box quantity)	15705020296229
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.