Ultra Hygienic Handle, Ø32 mm, 1500 mm, Orange





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Connection Threaded Material Polypropylene Glass reinforced Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133982, US 2084,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Height 32 mm Not Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.63 kg <t< th=""><th>Item Number</th><th>29627</th></t<>	Item Number	29627
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EUR Regulation CFR 21¹ Complies with EUR Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984.073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Height 80 mm Product Diameter 32 mm Product Diameter Product Length/Depth 1500 mm Product Width 22 mm Product Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Gross Weight 0.063 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperatures (no food contact) 100 °C Min. usage temperatures 9-20 °C Min. usage temperatures 9-20 °C Min. usage temperatures	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FUA Regulation 1 CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Width 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.63 kg Cubic metre 0.001536 M3 Recommended sterillisation	Material	
Compiles with EU Regulation 2023/2006/EC of Good Manufacturing Practice Compiles with FDA Regulation I CFR 21¹ Yes Compiles with UK 2019 No. 704 on food contact materials Yes Compiles with REACH Regulation (EC) No. 1907/2006 Yes Compiles with California Proposition 65 Yes Complies with Hala and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984.073 S Box Quantity	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US 2084,073 s Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Height 35 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.63 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Dishwasher) 93 °C Max usag	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Weight 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Weight 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.63 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature and contact		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Height 32 mm Product Height 32 mm Product Height 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Gross Weight 0.059 kg Wuis mark temperature (Dishwasher) 93 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Height 1500 mm Product Width 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Gross Weight 0.03 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Height 32 mm Product Width 32 mm Product Height 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Gross Weight 0.03 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Height 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Gross Weight 0.03 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 008521926-0004, UK 6133992, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Height 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.0408 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature? -20 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Gross Weight 0.03 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.0408 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Design Registration No.	UK 6133992, US
Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.0408 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length/Depth 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Product Length/Depth 1500 mm Product Width 32 mm Product Height 32 mm Net Weight 0.59 kg Weight cardboard (Recycling symbol "20" PAP) 0.0408 kg Total Tare Weight 0.0408 kg Gross Weight 0.63 kg Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	400 Pcs
Box Width200 mmBox Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length/Depth	1520 mm
Product Diameter32 mmProduct Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	200 mm
Product Length/Depth1500 mmProduct Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	80 mm
Product Width32 mmProduct Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Diameter	32 mm
Product Height32 mmNet Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	1500 mm
Net Weight0.59 kgWeight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0408 kgTotal Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	32 mm
Total Tare Weight0.0408 kgGross Weight0.63 kgCubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.59 kg
Gross Weight Cubic metre 0.001536 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0408 kg
Cubic metre0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0408 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.63 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001536 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020296277
GTIN-14 Number (Box quantity)	15705020296274
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.