29664

Ultra Hygienic Handle, Ø32 mm, 650 mm, Red







Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

## **Technical Data**

| ConnectionThreadedMaterialPolypropylene Class<br>reinforcedRecycling Symbol "7", Miscellaneous PlasticsYesComplies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation 12FR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 61330890, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (60 x 120 x approx.180 cm)600 Pcs.Box Length/Depth680 mmBox Klidth190 mmBox Klidth32 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth0.01995 kgTotal Tare Weight0.285 kgWeight cardboard (Recycling symbol "20" PAP)0.295 kgCubit metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Iood contact)100 °CMax usage temperature (non food contact)100 °CMan, dring temperature-20 °CMax usage temperature-20 °CMax usage temperature-20 °CMax usage temperature-20 °CMax usag | Item Number   | 29664          |
|---|---|----------------|
| reinforcedRecycling Symbol "7", Miscellaneous PlasticsYesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation 1CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with KEACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521928-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Uidth32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.286 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (food contact)100 "CMax usage temperature (non food contact)100 "CMin. usage temperature"-20 "C  | Connection  | Threaded       |
| Complies with (EC) 1335/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926.0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Uidth32 mmProduct Vidth32 mmProduct Vidth32 mmProduct Vidth0.01995 kgTotal Tare Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature "-20 °C   | Material  |                |
| Complies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with K 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Atala and KosherYesComplies with Hala and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Uidth32 mmProduct Width32 mmProduct Width32 mmProduct Wight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °C   | Recycling Symbol "7", Miscellaneous Plastics                        | Yes            |
| Manufacturing PracticeComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, USQuantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Utith32 mmProduct Width32 mmProduct Width0.01995 kgTotal Tare Weight0.01995 kgCotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (IDIshwasher)93 °CMin. usage temperature *-20 °C  | Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> | Yes            |
| Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth0.265 kgWeight0.265 kgWeight0.265 kgWeight0.288 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature <sup>6</sup> -20 °C   |   | Yes            |
| Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Height32 mmProduct Height0.01995 kgGross Weight0.265 kgWeight0.285 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature <sup>6</sup> -20 °C   | Complies with FDA RegulationI CFR 21 <sup>1</sup>                   | Yes            |
| Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Height32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature³-20 °C  | Complies with UK 2019 No. 704 on food contact materials             | Yes            |
| Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth0.01995 kgTotal Tare Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C  | Complies with REACH Regulation (EC) No. 1907/2006                   | Yes            |
| PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth0.01905 kgTotal Tare Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C   | Complies with California Proposition 65                             | Yes            |
| Design Registration No.EU 008521926-0001,<br>UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Height32 mmProduct Height0.265 kgWeight0.265 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Complies with Halal and Kosher                                      | Yes            |
| UK 6133989, US<br>D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)600 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Kidth190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Length/Depth650 mmProduct Height32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °C  | PFAS, Phthalates and BPA intentionally added                        | No             |
| Quantity per Pallet (80 x 120 x approx.180 cm)600 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Vidth190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Design Registration No.   | UK 6133989, US |
| Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C  | Box Quantity  | 10 Pcs.        |
| Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Quantity per Pallet (80 x 120 x approx.180 cm)                      | 600 Pcs        |
| Box Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Quantity Per Layer (Pallet)   | 60 Pcs.        |
| Box Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmProduct Height0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C  | Box Length/Depth  | 680 mm         |
| Product Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C   | Box Width   | 190 mm         |
| Product Length/Depth650 mmProduct Width32 mmProduct Height32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Box Height  | 75 mm          |
| Product Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Product Diameter  | 32 mm          |
| Product Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C  | Product Length/Depth  | 650 mm         |
| Net Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Product Width   | 32 mm          |
| Weight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Product Height  | 32 mm          |
| Total Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Net Weight  | 0.265 kg       |
| Gross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Weight cardboard (Recycling symbol "20" PAP)                        | 0.01995 kg     |
| Cubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C   | Total Tare Weight   | 0.01995 kg     |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C   | Gross Weight  | 0.28 kg        |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C  | Cubic metre   | 0.000666 M3    |
| Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C   | Recommended sterilisation temperature (Autoclave)                   | 121 °C         |
| Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C   | Max. cleaning temperature (Dishwasher)                              | 93 °C          |
| Min. usage temperature³-20 °C   | Max usage temperature (food contact)                                | 100 °C         |
|   | Max usage temperature (non food contact)                            | 100 °C         |
| Max. drying temperature100 °C   | Min. usage temperature <sup>3</sup>                                 | -20 °C         |
|   | Max. drying temperature   | 100 °C         |

| Min. pH-value in usage concentration | 2 pH           |
|--------------------------------------|----------------|
| Max. pH-value in Usage Concentration | 10.5 pH        |
| GTIN-13 Number                       | 5705022020931  |
| GTIN-14 Number (Box quantity)        | 15705028020949 |
| Customs Tariff Number                | 39241000       |
| Country of Origin ISO Code           | DK             |
| Country of Origin                    | Denmark        |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.