Ultra Hygienic Handle, Ø32 mm, 650 mm, White







Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Connection Threaded Material Polypropylene Glass reinforced Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with TDA Regulation ICFR 21' Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Tall and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US 10984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs. Quantity Per Layer (Pallet) 600 Pcs. Box Length/Depth 680 mm Box Height 75 mm Product Diameter 32 mm Product Width 32 mm Product Height 32 mm Not Weight 0.01995 kg Gross Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.026 kg	Item Number	29665
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EUR Regulation CFR 21¹ Complies with EUR Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US D984.073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Width 32 mm Product Height 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperatures (no food contact) 100 °C Min. usage temperatures 9 -20 °C	Connection	Threaded
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FUA Regulation 1 CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Width 32 mm Net Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.009666 M3 Recommended sterillisation temperature (Autoclave) 121 °C	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Hala and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Length/Depth 650 mm Product Width 32 mm Product Height 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Into food contact) 100 °C Min. usage temperature (non food contact) 100 °C	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 008521926-00011, UK 6133989, US 2084,073 s² Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Height 650 mm Net Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwa	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length/Depth 680 mm Box Width 190 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Width 32 mm Product Width 32 mm Product Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (ann food contact)		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Weight 32 mm Product Height 32 mm Product Height 32 mm Product Height 0.01995 kg Total Tare Weight 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temper	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Height 75 mm Product Diameter 32 mm Product Udith 32 mm Product Height 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-00001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs. Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Height 32 mm Net Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² -20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0001, UK 6133989, US D984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Height 32 mm Net Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Total Tare Weight 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 008521926-0001, UK 6133989, US D984,073 s Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs Quantity Per Layer (Pallet) 680 mm Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Height 32 mm Net Weight 0.265 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature' (non food contact) 100 °C Min. usage temperature' -20 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 600 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length/Depth 680 mm Box Width 190 mm Box Height 75 mm Product Diameter 32 mm Product Length/Depth 650 mm Product Width 32 mm Product Height 32 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Weight cardboard (Recycling symbol "20" PAP) 0.01995 kg Gross Weight 0.28 kg Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)600 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Design Registration No.	UK 6133989, US
Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature3-20 °C	Box Quantity	10 Pcs.
Box Length/Depth680 mmBox Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	600 Pcs
Box Width190 mmBox Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height75 mmProduct Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length/Depth	680 mm
Product Diameter32 mmProduct Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	190 mm
Product Length/Depth650 mmProduct Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	75 mm
Product Width32 mmProduct Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Diameter	32 mm
Product Height32 mmNet Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	650 mm
Net Weight0.265 kgWeight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.01995 kgTotal Tare Weight0.01995 kgGross Weight0.28 kgCubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	32 mm
Total Tare Weight Gross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Net Weight	0.265 kg
Gross Weight Cubic metre 0.000666 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.01995 kg
Cubic metre0.000666 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.01995 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.28 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.000666 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022020955
GTIN-14 Number (Box quantity)	15705028020963
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.