29686

Ultra Hygienic Handle, Ø32 mm, 1000 mm, Yellow







Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

MaterialPolypropylene Glass reinforcedProduct Recycling Symbol "7", Miscellaneous PlasticsYesComplies with EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with CA Regulation 2023/2006/EC of GoodYesComplies with CA Regulation 2023/2006/EC of SoodYesComplies with CA Regulation 2023/2006/EC of SoodYesComplies with CAlfornia Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133390, USBox Quantity10 Pcs.Quantity Per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmWidth32 mmLength/Depth0.0291 kgGross Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgGross Weight0.4 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Diskwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature food contact)100 °CMin. usage temperature food contact)100 °CMin. usage temperature food contact)100 °CMax. us	Item Number	29686
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation (ER 21'YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplias With California Proposition 65YesBox Length100 Pcs.Quantity Per Layer (Pallet)100 Pcs.Box Height32 mmHeight32 mmHeight32 mmNet Weight0.43 kgCubic metre0.001024 kg <th>Material</th> <th></th>	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmProduct Diameter32 mmHeight32 mmKith32 mmKeight0.42 kgWeight0.43 kgCubic metre0.001024 kgRecommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practiče Complies with FDA RegulationI CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008521926-0002, UK 6133980, US 20984,073 S Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 75 mm Box Vidth 185 mm Box Vidth 185 mm Box Height 1000 mm Vidth 32 mm Length/Depth 1000 mm Weight cardboard (Recycling symbol "20" PAP) 0.0291 kg Tare total 0.0291 kg Gross Weight 0.43 kg Cubic metre 0.001024 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984.073 SQuantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmProduct Diameter32 mmLength/Depth0.00291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.031 kgGubic metre0.010124 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °CMax. drying temperature-20 °CMax. dry		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmRegistration temperature (Autoclave)0.42 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight0.291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1000 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight0.428 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgGross Weight0.438 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmLength/Lepth0.4 kgWeight0.4 kgWeight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 008521926-0002, UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight0.4 kgWeight0.4 kgWeight0.4291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
UK 6133990, US D984,073 SBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmGross Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight0.02 mmWidth32 mmGordson (Recycling symbol "20" PAP)0.0291 kgGross Weight0.43 kgCubic cmetre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Design Registration No.	UK 6133990, US
Quantity Per Layer (Pallet)40 Pcs.Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length75 mmBox Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs.
Box Width185 mmBox Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height1030 mmProduct Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °C	Box Length	75 mm
Product Diameter32 mmLength/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Box Width	185 mm
Length/Depth1000 mmWidth32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °C	Box Height	1030 mm
Width32 mmHeight32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature a-20 °CMin. usage temperature100 °CMax. drying temperature100 °C	Product Diameter	32 mm
Height32 mmNet Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °C	Length/Depth	1000 mm
Net Weight0.4 kgWeight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0291 kgTare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	32 mm
Tare total0.0291 kgGross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Net Weight	0.4 kg
Gross Weight0.43 kgCubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0291 kg
Cubic metre0.001024 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0291 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.43 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001024 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max. usage temperature (food contact)	100 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022021075
GTIN-14 Number (Box quantity)	15705028021083
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.