

297152C



Aluminium Telescopic  
Handle, waterfed, w/Click  
Coupling (C), 1060 - 1600  
mm, Ø32 mm, Black



This professional telescopic water-fed handle has an insulated sleeve for a comfortable grip and a ½" quick coupling. Maximum water pressure, 6 bars.

# Technical Data

Item Number	297152C
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	e49c50b5-7653-429c- b8f3-803d37b5fetc
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	580 Pcs
Quantity Per Layer (Pallet)	1 Pcs.
Box Length	1390 mm
Box Width	90 mm
Box Height	85 mm
Product Diameter	32 mm
Length	1060 mm
Width	32 mm
Height	32 mm
Max. Length	1600 mm
Net Weight	0.64 kg
Weight cardboard (Recycling symbol "20" PAP)	0.09 kg
Tare total	0.09 kg
Gross Weight	0.73 kg
Cubic metre	0.001085 M3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	50 °C
GTIN-13 Number	5705022971523
GTIN-14 Number (Box quantity)	15705022971520
Customs Tariff No.	76169990
Country of origin	Denmark

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.