

297352C



Aluminium Telescopic  
waterfed Handle w/Click  
Coupling (C), 1600 - 2780  
mm, Ø32 mm, Black



This professional telescopic water-fed handle has an insulated sleeve for a comfortable grip and a ½" quick coupling. Maximum water pressure, 6 bars.

# Technical Data

<b>Item Number</b>	297352C
<b>Connection</b>	Threaded
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Complies with REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with California Proposition 65</b>	No
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS intentionally added</b>	No
<b>Box Quantity</b>	5 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	200 Pcs
<b>Quantity Per Layer (Pallet)</b>	25 Pcs.
<b>Box Length/Depth</b>	1650 mm
<b>Box Width</b>	140 mm
<b>Box Height</b>	85 mm
<b>Product Diameter</b>	32 mm
<b>Product Length/Depth</b>	1600 mm
<b>Product Width</b>	31 mm
<b>Product Height</b>	32 mm
<b>Max. Length</b>	2780 mm
<b>Net Weight</b>	1.02 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.07 kg
<b>Total Tare Weight</b>	0.07 kg
<b>Gross Weight</b>	1.09 kg
<b>Cubic metre</b>	0.001587 M3
<b>Max. bars pressure</b>	6 Bar
<b>Max usage temperature (non food contact)</b>	50 °C
<b>GTIN-13 Number</b>	5705022973527
<b>GTIN-14 Number (Box quantity)</b>	15705022973524
<b>Customs Tariff Number</b>	76169990
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark