

297452C



Aluminium Telescopic  
waterfed Handle with on/off  
Click Coupling (C), 1060 -  
1600 mm, Ø32 mm, Black



This professional telescopic water-fed handle has an insulated sleeve for a

comfortable grip, an on/off 1/2" click-fit coupling, compatible with Hozelock, Gardena and Nito Click. Maximum water pressure, 6 bars.

# Technical Data

Item Number	297452C
Connection	Threaded
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	200 Pcs
Quantity Per Layer (Pallet)	1 Pcs.
Box Length/Depth	85 mm
Box Width	90 mm
Box Height	1390 mm
Product Diameter	32 mm
Product Length/Depth	1060 mm
Product Width	32 mm
Product Height	32 mm
Max. Length	1600 mm
Net Weight	0.64 kg
Weight cardboard (Recycling symbol "20" PAP)	0.09 kg
Total Tare Weight	0.09 kg
Gross Weight	0.73 kg
Cubic metre	0.001085 M3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	50 °C
GTIN-13 Number	5705022030503
GTIN-14 Number (Box quantity)	15705028030498
Customs Tariff Number	76169990
Country of Origin ISO Code	DK
Country of Origin	Denmark

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.