30882 Utility Brush, 260 mm, Medium, Green







This ergonomic, lightweight Utility brush is designed to raise the user's hand from the cleaning surface, reducing the risk of injury. Ideal for cleaning small surface areas, such as tables, pans and cutting boards.

Technical Data

Bristle stiffness Medium Visible bristle length 22 mm Material Polypester (PBT) Polyporypeine Stainless Steel (AISI 304) Recycling Symbol "7", Miscellaneous Plastics No Complies with (EC) 1935/2004 on food contact materials" Yes Manufacturing Practice Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation 1CFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with BL and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 003076538-0001, GB 9003076538-0001, GB 9003076538-0001 Box Quantity Per Pallet (80 x 120 x approx.180 cm) 1920 Pcs. Quantity Per Layer (Pallet) 160 Pcs. Box Length/Depth 280 mm Box Kieth Haight 140 mm Product Width 40 mm Product Length/Depth 200 mm Product Width 0.0078 kg Weight cardboard (Recycling symbol "20" PAP) 0.013 kg <th>Item Number</th> <th>30882</th>	Item Number	30882
Material Polyester (PBT) Polypropytene Stainless Steel (AISI 304) Recycling Symbol "7", Miscellaneous Plastics No Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 003076538-0001, GB 9003076538-0001 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1920 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length/Depth 385 mm Box Width 295 mm Box Height 140 mm Product Height 0.097 kg Weight bag (Recycling Symbol "4") 0.0078 kg Weight bag (Recycling Symbol "4") 0.0078 kg Weight bag (Recycling Symbol "4") 0.0078 kg Weight bag (Recycling Symbol "20" PAP) 0.013 kg Gross Weight	Bristle stiffness	Medium
Polypropylene Stainless Steel (AISI 304)Recycling Symbol "7", Miscellaneous PlasticsNoComplies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with EDA Regulation 1 CFR 21'YesComplies with EDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 9003076538-0001Box Quantity20 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Width295 mmProduct Height70 mmProduct Height0.0978 kgWeight bag (Recycling Symbol "4")0.098 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight bag (Recycling Symbol "20" PAP)0.013 kgTotal Tare Weight0.111 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (no food contact)80 °CMax usage temperature (no food contact)80 °C	Visible bristle length	22 mm
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 900307653800001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Width40 mmProduct Width0.09 kgWeight bag (Recycling Symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMax usage temperature (non food contact)80 °C	Material	Polypropylene Stainless
Complies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling Symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMax usage temperature (non food contact)100 °C	Recycling Symbol "7", Miscellaneous Plastics	No
Manufacturing PracticeComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth0.0078 kgWeight bag (Recycling symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterillisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Hala and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pos.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Width0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.111 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, (GB 90030765380001)Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "20" PAP)0.013 kgTotal Tare Weight0.2028 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 Pcs.Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Width40 mmProduct Width0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight acrdboard (Recycling symbol "20" PAP)0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 PcsQuantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Width40 mmProduct Width0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 003076538-0001, GB 9003076538-0001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 PcsQuantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Height0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.111 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 003076538-0001, GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 PcsQuantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth0.0078 mmNet Weight0.09 kgWeight bag (Recycling Symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
GB 90030765380001Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)1920 PcsQuantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Kleight140 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)1920 PcsQuantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	
Quantity Per Layer (Pallet)160 Pcs.Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Length/Depth40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Quantity	20 Pcs.
Box Length/Depth385 mmBox Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	1920 Pcs
Box Width295 mmBox Height140 mmProduct Length/Depth260 mmProduct Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	160 Pcs.
Box Height140 mmProduct Length/Depth260 mmProduct Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Length/Depth	385 mm
Product Length/Depth260 mmProduct Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Width	295 mm
Product Width40 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Height	140 mm
Product Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Product Length/Depth	260 mm
Net Weight0.09 kgWeight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Product Width	40 mm
Weight bag (Recycling Symbol "4")0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Product Height	70 mm
Weight cardboard (Recycling symbol "20" PAP)0.013 kgTotal Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.09 kg
Total Tare Weight0.0208 kgGross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight bag (Recycling Symbol "4")	0.0078 kg
Gross Weight0.11 kgCubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.013 kg
Cubic metre0.000728 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Total Tare Weight	0.0208 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.11 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.000728 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022000759
GTIN-14 Number (Box quantity)	15705028000767
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.