31662

Broom w/ Straight Neck, 12.2" Medium, Green







Ideal for cleaning between machines and under tables, this straight-necked Broom easily removes dust, paper and food particles such as fish and meat.

Technical Data

Visible bristle length 3.1 Connection Threade Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials' Ye Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation CFR 21' Ye Complies with UX 2019 No. 704 on food contact materials Ye Complies with California Proposition 65 Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Per Quantity per Pallet (80 x 120 x approx.180 cm) 450 Per Quantity Per Layer (Pallet) 90 Per Box Length/Depth 15.7 Box Width 12.2 Product Length/Depth 12.2 Product Length/Depth 15.5 Net Weight 0.948 lt Weight 2.048 lt Weight 1.0348 lt Weight 1.0348 lt Weight 1.0348 lt Weight 1.0348 lt Weight 1.0348 lt Weight 1.0348 lt Max usage temperature (Dishwasher) 199.4 Max usage temperature (Dishwasher) 199.4 Max usage temperature (Materian) 2 p	Item Number	31662
Connection Threade Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials' Yet Complies with EU Regulation 2023/2006/EC of Good Yet Complies with EU Regulation CFR 21' Yet Complies with California Proposition 65 Yet Complies with California Proposition 65 Yet Complies with Halal and Kosher Yet PFAS, Phthalates and BPA intentionally added Net Box Quantity 15 Per Quantity per Pallet (80 x 120 x approx.180 cm) 450 Per Quantity Per Layer (Pallet) 90 Per Box Width 12.2 Product Length/Depth 15.7 Box Width 12.2 Product Length/Depth 15.7 Box Width 12.2 Product Length/Depth 12.2 Product Width 2.4 Product Height 5.5 Net Weight 0.948 lb Weight cardboard (Recycling symbol "4") LDPE 0.091 lb Gross Weight 1.0348 lb Cubic Feet <t< td=""><td>Bristle stiffness</td><td>Medium</td></t<>	Bristle stiffness	Medium
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials' Ye Complies with EU Regulation 2023/2006/EC of Good Ye Complies with FDA Regulation I CFR 21' Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher Ye PFAS, Phthalates and BPA intentionally added N Box Quantity 15 Pc: Quantity per Pallet (80 x 120 x approx.180 cm) 450 Pc: Quantity Per Layer (Pallet) 90 Pc: Box Length/Depth 15.7 Box Width 12.2 Product Length/Depth 5.5 Net Weight 0.948 lb Weight bag (Recycling Symbol "4") LDPE 0.021 lt Veight cardboard (Recycling symbol "20" PAP) 0.071 lt Total Tare Weight 0.998 ls Cubic Feet 0.002 ft Max usage temperature (Doi contact) 212 c Max usage temperature (food contact) 212 c Max. drying temperature .44 Max. drying temperature .44	Visible bristle length	3.1 "
(PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials1 Ye Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Ye Complies with FDA RegulationI CFR 211 Ye Complies with Z019 No. 704 on food contact materials Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher Ye PFAS, Phthalates and BPA intentionally added N Box Quantity 15 Pc Quantity per Pallet (80 x 120 x approx.180 cm) 450 Pc Quantity Per Layer (Pallet) 90 Pc Box Length/Depth 15.7 Box Width 12.2 Product Length/Depth 15.7 Box Width 12.2 Product Length/Depth 12.2 Product Length/Depth 12.2 Product Height 5.5 Net Weight bag (Recycling Symbol "4") LDPE 0.02 Hz Weight bag (Recycling Symbol "4") LDPE 0.02 Hz Weight bag (Recycling Symbol "4") LDPE 0.09 Hz Gross Weight 1.0348 Hz Cubic Feet 0.092 ft Max. cleaning temperature (Dishwasher) 199.4 °	Connection	Threaded
Complies with EU Regulation 2023/2006/EC of GoodYetManufacturing PracticeYetComplies with FDA RegulationI CFR 211YetComplies with UK 2019 No. 704 on food contact materialsYetComplies with California Proposition 65YetComplies with Halal and KosherYetPFAS, Phthalates and BPA Intentionally addedNBox Quantity15 PccQuantity per Pallet (80 x 120 x approx.180 cm)450 PccQuantity Per Layer (Pallet)90 PccBox Length/Depth15.7Box Width12.2Product Length/Depth12.2Product Length/Depth12.2Product Width2.4Product Width0.948 lbWeight bag (Recycling Symbol "4") LDPE0.021 lbWeight Cardboard (Recycling symbol "20" PAP)0.071 lbTotal Tare Weight0.032 ffRecommended sterilisation temperature (Autoclave)248.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max. adage temperature (food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Material	
Manufracturing Practice Complies with FDA Regulationl CFR 211 Ye Complies with UK 2019 No. 704 on food contact materials Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher Ye PFAS, Phthalates and BPA intentionally added N Box Quantity 15 Pc: Quantity per Pallet (80 x 120 x approx.180 cm) 450 Pc: Quantity Per Layer (Pallet) 90 Pc: Box Klength/Depth 15.7 Box Width 12.2 Product Length/Depth 15.7 Box Kleight 12.2 Product Length/Depth 15.7 Box Kleight 12.2 Product Length/Depth 12.2 Product Width 2.4 Product Width 2.4 Product Width 0.948 lb Weight cardboard (Recycling Symbol "4") LDPE 0.02 lb Weight Cardboard (Recycling symbol "20" PAP) 0.07 lb Total Tare Weight 0.092 fb Recommended sterilisation temperature (Autoclave) 249.8 ° Max. cleaning temperature (Dishwasher) 199.4 ° Max usage temperature (non food contact)	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNBox Quantity15 Pc:Quantity per Pallet (80 x 120 x approx.180 cm)450 Pc:Quantity Per Layer (Pallet)90 Pc:Box Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Ioshwasher)199.4 °Max usage temperature (food contact)212 °Min. usage temperature (non food contact)212 °Min. usage temperature (non food contact)212 °Min. pH-value in usage concentration2 p	•	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNBox Quantity15 PerQuantity per Pallet (80 x 120 x approx.180 cm)450 PerQuantity Per Layer (Pallet)90 PerBox Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.021 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Complies with FDA RegulationI CFR 211	Yes
Complies with Halal and KosherYePFAS, Phthalates and BPA intentionally addedNBox Quantity15 PcQuantity per Pallet (80 x 120 x approx.180 cm)450 PcQuantity Per Layer (Pallet)90 PcBox Length/Depth15.7Box Width12.2Product Length/Depth12.2Product Length/Depth12.2Product Height2.4Product Height0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.092 fbRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature4 °Max. drying temperature4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Complies with UK 2019 No. 704 on food contact materials	Yes
PFAS, Phthalates and BPA intentionally addedNBox Quantity15 PcQuantity per Pallet (80 x 120 x approx.180 cm)450 PcQuantity Per Layer (Pallet)90 PcBox Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth12.2Product Height2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)176 °Max. drying temperature4 °Max. drying temperature212 °Min. usage concentration2 p	Complies with California Proposition 65	Yes
Box Quantity15 Pc:Quantity per Pallet (80 x 120 x approx.180 cm)450 Pc:Quantity Per Layer (Pallet)90 Pc:Box Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth12.2Product Width2.4Product Height0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.092 lfRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature4 °Max. drying temperature4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)450 PcQuantity Per Layer (Pallet)90 PcBox Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth12.2Product Height2.4Product Height0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ffRecommended sterillisation temperature (Autoclave)249.8 °Max. cleaning temperature (Ioshwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature-4 °Min. pH-value in usage concentration2 p	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)90 PcrBox Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth12.2Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature-4 °Max. drying temperature-4 °Min. pH-value in usage concentration2 p	Box Quantity	15 Pcs.
Box Length/Depth15.7Box Width12.2Box Height12.2Product Length/Depth12.2Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 fbMax. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Quantity per Pallet (80 x 120 x approx.180 cm)	450 Pcs.
Box Width12.2Box Height12.2Product Length/Depth12.2Product Length/Depth12.2Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 fbRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Quantity Per Layer (Pallet)	90 Pcs.
Box Height12.2Product Length/Depth12.2Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)212 °Min. usage temperature-4 °Max. drying temperature-4 °Min. pH-value in usage concentration2 p	Box Length/Depth	15.7 "
Product Length/Depth12.2Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Box Width	12.2 "
Product Width2.4Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ffRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Box Height	12.2 "
Product Height5.5Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 fbRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Product Length/Depth	12.2 "
Net Weight0.948 lbWeight bag (Recycling Symbol "4") LDPE0.02 lbWeight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 fbRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Product Width	2.4 "
Weight bag (Recycling Symbol "4") LDPE0.02 lkWeight cardboard (Recycling symbol "20" PAP)0.07 lkTotal Tare Weight0.09 lkGross Weight1.0348 lkCubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Product Height	5.5 "
Weight cardboard (Recycling symbol "20" PAP)0.07 lbTotal Tare Weight0.09 lbGross Weight1.0348 lbCubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Net Weight	0.948 lbs
Total Tare Weight0.09 lkGross Weight1.0348 lbCubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Weight bag (Recycling Symbol "4") LDPE	0.02 lbs
Gross Weight1.0348 lbCubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Weight cardboard (Recycling symbol "20" PAP)	0.07 lbs
Cubic Feet0.092 ftRecommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Total Tare Weight	0.09 lbs
Recommended sterilisation temperature (Autoclave)249.8 °Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Gross Weight	1.0348 lbs
Max. cleaning temperature (Dishwasher)199.4 °Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Cubic Feet	0.092 ft3
Max usage temperature (food contact)176 °Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)212 °Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature-4 °Max. drying temperature212 °Min. pH-value in usage concentration2 p	Max usage temperature (food contact)	176 °F
Max. drying temperature212 °Min. pH-value in usage concentration2 p	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration2 p	Min. usage temperature	-4 °F
	Max. drying temperature	212 °F
	Min. pH-value in usage concentration	2 pH
max. pн-value in Usage Concentration 10.5 p	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020316623
GTIN-14 Number (Box quantity)	15705020316620
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.