Broom, 410 mm, Soft, White







This Broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.

Technical Data

Visible bristle length 56 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Gross Weight 0.53 kg Gross Weight 0.53 kg Cubic metre	Item Number	31795
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)	Bristle stiffness	Soft
(PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Box Length Box Width 295 mm Box Width 295 mm Box Height 210 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10 11°C Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (Info od contact) Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH	Visible bristle length	56 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max. drying temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max. drying temperature 100 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Gross Weight 0.53 kg Gubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH <td>Complies with FDA RegulationI CFR 21¹</td> <td>Yes</td>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length420 mmBox Width295 mmBox Height210 mmLength410 mmWidth65 mmHeight130 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 420 mm Box Width 295 mm Box Height 210 mm Length 410 mm Width 65 mm Height 130 mm Net Weight 0.5 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length420 mmBox Width295 mmBox Height210 mmLength410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length420 mmBox Width295 mmBox Height210 mmLength410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Box Width295 mmBox Height210 mmLength410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmLength410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	420 mm
Length410 mmWidth65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	295 mm
Width65 mmHeight130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	210 mm
Height130 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	410 mm
Net Weight0.5 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	65 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.0252 kgGross Weight0.53 kgCubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	130 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.0252 kg Gross Weight Cubic metre O.003465 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.5 kg
Tare total 0.0252 kg Gross Weight 0.53 kg Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Min. pH-value in usage concentration 2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.009 kg
Gross Weight Cubic metre 0.003465 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0162 kg
Cubic metre0.003465 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0252 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Gross Weight	0.53 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.003465 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705020317955
GTIN-13 Number	5705020317958

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.