Broom, 610 mm, Soft/hard, Green







Designed for the effective cleaning of both wet and dry surfaces, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

Technical Data

Visible bristle length Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Gross Weight 0.79 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Min. usage temperature (food contact) 100 °C Min. usage temperature (food contact) 100 °C Min. usage temperature (in on food contact) 100 °C Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH	Item Number	31942
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Box Length Box Width 290 mm Box Width 290 mm Box Width 290 mm Width 70 mm Height 125 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight bag (Recycling Symbol "20" PAP) Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Bristle stiffness	Soft/hard
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 290 mm Box Height 200 mm Height 125 mm Net Weight No. 75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (Inshwasher) Max usage temperature (Ins	Visible bristle length	60 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight Weight Cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH Ves Chin. pH-value in usage concentration 2 pH Ves Complies with Texastal Age and the relation and the relation to the properties of the concentration Yes Complies with Texastal Age and the relation to the properties of the concentration Yes Complies with Texastal Age and the relation to the properties of the concentration Yes Complies with Texastal Age and the relation to the properties of the concentration Yes Complies with Calfornia Proposition (Act on the concentration) Yes Complies with Calfornia Proposition (Act on the concentration) Yes Complies with Calfornia Proposition (Act on the concentration) Yes Complies with Calfornia Proposition (Act on the concentration) Yes Complies with Calfornia Proposition (Act on the concentration) Yes Complies with Calfornia Proposition (Act on the calfornia Pro	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 290 mm Box Width 290 mm Box Height 200 mm Length 610 mm Net Weight 70 mm Net Weight Net Weight Net Weight Net Weight PCR 30% No. 147 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% No. 147 kg Gross Weight Cubic metre 0.005338 kg Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ion food contact) Max. drying temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH </th <th>Complies with UK 2019 No. 704 on food contact materials</th> <th>Yes</th>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length Clength Height 125 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.005338 M3 Recommended sterillisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH 240 Pcs 100 Pcs. 101 Pcs. 102 Pcs. 103 Pcs. 104 Pcs. 105 Pcs. 106 Pcs. 107 Pcs. 107 Pcs. 108 Pcs. 109 Pcs. 100 Pcs.	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 240 Pcs Quantity Per Layer (Pallet) 40 Pcs Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length Box Width 290 mm Box Height 200 mm Length 610 mm Width 70 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Box Width290 mmBox Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	610 mm
Length610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	290 mm
Width70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	200 mm
Height125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	610 mm
Net Weight0.75 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0147 kgWeight cardboard (Recycling symbol "20" PAP)0.0253 kgTare total0.04 kgGross Weight0.79 kgCubic metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0147 kg Weight cardboard (Recycling symbol "20" PAP) 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Height	125 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.75 kg
Tare total 0.04 kg Gross Weight 0.79 kg Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0147 kg
Gross Weight Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.0253 kg
Cubic metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Tare total	0.04 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Gross Weight	0.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.005338 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
_ ` ·	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705020319423
GTIN-13 Number	5705020319426

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.