35872 Hand Brush M, 165 mm, Medium, Green





₽" ₽>>

Easily scrub clean food preparation surfaces, chopping boards and food containers with this small general purpose Hand Brush.

Technical Data

Bristle stiffness Medium Visible bristle length 20 mm Material Polypropylene Polyester (PET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials* Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729-01-5, GB 9002533729-01-5 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 3200 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length 290 mm Box Kleight 175 mm Length/Depth 185 mm Width 50 mm Width 50 mm Vieight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0027 kg Weight cardboard (Recycling symbol "20" PAP) 0.00335 kg Tare total 0.000371 M3 Recommended sterilisation temperature	Item Number	35872
Material Polypropylene Polypester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials ¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21 ¹ Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-15, GB Box Quantity 20 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length 290 rm Box Vidth 195 mm Box Width 195 mm Box Height 175 mm Length/Dopth 165 mm Width 50 mm Height 45 mm Net Weight bag (Recycling Symbol "4") LDEE ≥ PCR 30% 0.0027 kg Gross Weight 0.12 kg Cubic metre 0.000371 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (non food contact) 80 °C Max usage temperature (non food contact) <	Bristle stiffness	Medium
(PBT) Stämless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002533729-1-5, GB Box Quantity 20 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length 290 rmm Box Vidth 195 rmm Box Width 195 rmm Box Height 175 rmm Length/Depth 165 rmm Width 50 rmm Net Weight cardboard (Recycling symbol "20" PAP) 0.0035 kg Tare total 0.00065 kg Gross Weight 0.12 kg Cubic metre 0.000371 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (nof cod contact) 80 °C	Visible bristle length	20 mm
Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA RegulationI CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 0025337290-1-5 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 3200 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length 290 mm Box Klidth 195 mm Box Klidth 195 mm Box Klidth 195 mm Box Length 200 mm Box Klidth 195 mm Box Klight 0.0007 kg Width 50 mm Height 0.111 kg Weight cardboard (Recycling symbol "20" PAP) 0.00395 kg Tare total 0.00065 kg Gross Weight 0.12 kg Cubic metre 0.000371 M3	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729001-5 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 3200 Pcs. Quantity Per Layer (Pallet) 240 Pcs. Box Length 290 nm Box Vidth 195 nm Box Height 175 nm Length/Depth 165 nm Width 50 nm Height 45 nm Net Weight 0.0111 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0027 kg Weight cardboard (Recycling symbol "20" PAP) 0.00355 kg Tare total 0.000371 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Width195 mmBox Width195 mmNoWeightUidth50 mmWeight0.111 kgWeight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.000395 kgTare total0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth166 mmWidth50 mmHeight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature a-20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Height195 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.000655 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature food contact)00 °CMin. usage temperature³-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 90025337290001-5Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002533729-1-5, GB 9002533729001-5Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight0.111 kgWight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with Halal and Kosher	Yes
90025337290001-5Box Quantity20 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.100665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)3200 Pcs.Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.000655 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Design Registration No.	
Quantity Per Layer (Pallet)240 Pcs.Box Length290 mmBox Width195 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °C	Box Quantity	20 Pcs.
Box Length290 mmBox Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	3200 Pcs.
Box Width195 mmBox Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	240 Pcs.
Box Height175 mmLength/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	290 mm
Length/Depth165 mmWidth50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	195 mm
Width50 mmHeight45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	175 mm
Height45 mmNet Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Length/Depth	165 mm
Net Weight0.111 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	50 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0027 kgWeight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Height	45 mm
Weight cardboard (Recycling symbol "20" PAP)0.00395 kgTare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.111 kg
Tare total0.00665 kgGross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0027 kg
Gross Weight0.12 kgCubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.00395 kg
Cubic metre0.000371 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.00665 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.12 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.000371 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max. usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020358722
GTIN-14 Number (Box quantity)	15705020358729
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.