## 38945

## XL Hand Brush, 230 mm, Very hard, White





## \**`` ₱**∕

A favorite of the meat and dairy industries, our updated XL Hand Brush makes a big impact thanks to its size and stiff bristles. When you need to clean bigger surface areas with hard-to-reach corners or crevices, this large scrub brush may be the tool you need.

This sturdy brush is made of a solid 29 mm block. The "butterfly" shape of the block has been designed to give users a better, more ergonomically friendly grip. The brush sits flush against most users' hands, making it comfortable and easy to hold even while dealing with cleaning chemicals and wet or greasy hands.

Like all brushes in our Hygiene range, the Vikan XL Hand Brush is designed to be used in areas where cleanliness and sanitation matter most, making it ideal for the food processing industry. The smooth surface finish, lack of sharp angles, and sloped drainable hanging hole all make it easy to clean and store. Whether you're cleaning tanks, tables, conveyor belts, or buckets, the XL Hand Brush with Very Stiff Bristles can help you get the job done quickly and effectively.

## **Technical Data**

Bristle stiffness Very hard   Visible bristle length 38 mm   Material Polypropylene Polyester (PET) Stanless Steel (AISI 304)   Complies with (EC) 1936/2004 on food contact materials' Yes   Complies with ED Regulation 2023/2006/EC of Good Manufacturing Practice Yes   Complies with FDA Regulation 1CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Design Registration No. US D29/878021, EU 015037869-0001, GB   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Box Length 378 mm   Box Kleight 106 mm   Length/Depth 230 mm   Width 110 mm   Height 68 mm   Net Weight 0.353 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.005 kg   Weight cardboard (Recycling symbol "20" PAP) 0.222 kg   Tare total 0.027 kg   Gross Weight 0.38 kg   Cubic metre <th>Item Number</th> <th>38945</th>	Item Number	38945
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Complies with FDA Regulation CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Hala and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Quantity Per Layer (Pallet) 80 Pcs.   Box Length 378 mm   Box Width 283 mm   Box Height 166 mm   Length/Depth 230 mm   Width 0.353 kg   Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.005 kg   Weight cardboard (Recycling symbol "20" PAP) 0.022 kg   Tare total 0.027 kg Gravs Weight 0.38 kg   Cubic metre 0.00172 M3 Recommended sterilisat	Bristle stiffness	Very hard
(PET) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Complies with FDA Regulation CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA Intentionally added No   Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Box Height 378 mm   Box Width 283 mm   Box Height 166 mm   Length/Depth 230 mm   Net Weight 0.353 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.005 kg   Weight bag (Recycling Symbol "20" PAP) 0.022 kg   Tare total 0.027 kg   Gross Weight 0.38 kg   Cubic metre 0.00172 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 80 °C	Visible bristle length	38 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037869001, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Material	(PBT) Stainless Steel
Manufacturing Practice   Complies with FDA RegulationI CFR 21' Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Design Registration No. US D29/678021, EU 0150378680401, GB 6293887   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Quantity Per Layer (Pallet) 80 Pcs.   Box Length 378 mm   Box Width 283 mm   Length/Depth 230 mm   Width 110 mm   Height 68 mm   Net Weight 0.353 kg   Weight cardboard (Recycling Symbol "20" PAP) 0.022 kg   Tare total 0.027 kg   Gross Weight 0.38 kg   Cubic metre 0.00172 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 80 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037669-0001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Kith283 mmBox Width283 mmBox Width230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037869-0001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)800 Pcs.Box Length378 mmBox Width283 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0077 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Quantity Per Layer (Pallet) 800 Pcs.   Box Length 378 mm   Box Width 283 mm   Box Height 166 mm   Length/Depth 230 mm   Width 110 mm   Height 68 mm   Net Weight 0.353 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.005 kg   Weight cardboard (Recycling symbol "20" PAP) 0.022 kg   Tare total 0.027 kg   Gross Weight 0.38 kg   Cubic metre 0.00172 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (food contact) 80 °C   Max. usage temperature (non food contact) 100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037869-0001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)800 Pcs.Box Length378 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.US D29/878021, EU 015037869-001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)38 °CMax usage temperature (non food contact)100 °C	Complies with California Proposition 65	Yes
Design Registration No.US D29/878021, EU 015037869-0001, GB 6293887Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Kleight166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
015037869-0001, GB   6293887   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs.   Quantity Per Layer (Pallet) 80 Pcs.   Box Length 378 mm   Box Kidth 283 mm   Box Height 166 mm   Length/Depth 230 mm   Width 110 mm   Height 68 mm   Net Weight 0.353 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.005 kg   Weight cardboard (Recycling symbol "20" PAP) 0.022 kg   Tare total 0.027 kg   Gross Weight 0.38 kg   Cubic metre 0.00172 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 80 °C   Max usage temperature (non food contact) 80 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)800 Pcs.Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Vidth283 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.388 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	015037869-0001, GB
Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length378 mmBox Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs.
Box Width283 mmBox Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	80 Pcs.
Box Height166 mmLength/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMax usage temperature (non food contact)100 °C	Box Length	378 mm
Length/Depth230 mmWidth110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Width	283 mm
Width110 mmHeight68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Height	166 mm
Height68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Length/Depth	230 mm
Net Weight0.353 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMax usage temperature (non food contact)100 °C	Width	110 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Height	68 mm
Weight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.353 kg
Tare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.005 kg
Gross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Cubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.027 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.38 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.00172 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max. usage temperature (food contact)	80 °C
Min. usage temperature³-20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022039759
GTIN-14 Number (Box quantity)	15705028039767
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.