Nylon Hand Scraper, 100 mm, Red







Suitable for loosening stubborn dirt like pastry, chocolate, burnt on food, etc. on smooth surfaces. The nylon blade is a good alternative to a stainless steel blade and can be used on sensitive surfaces to avoid scratches on equipment and sensitive conveyor belts. The hard blade can withstand hot surfaces when used at intervals of max. 2 minutes at a time.

Technical Data

Blade Thickness 2.7 mm Material Nylon Polypropylene Recycling Symbol "7", Miscellaneous Plastics Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Reach Regulation (EC) No. 1907/2006 No. 700 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 260 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Length/Depth 235 mm Product Width 100 mm Product Height No. 706 kg Weight bag (Recycling Symbol "4") 0.00402 kg Weight bag (Recycling Symbol "20" PAP) 0.006 kg Total Tare Weight 0.01002 kg Gross Weight 0.00517 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 150 °C Max usage temperature (Tood contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH GTIN-13 Number 5705022004634	Item Number	40134
Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Width 100 mm Product Width 100 mm Product Wight bag (Recycling Symbol "4") Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.000517 M3 Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Blade Thickness	2.7 mm
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Box Length/Depth 260 mm Box Width 230 mm Box Width 85 mm Product Length/Depth 22 mm Product Length/Depth 22 mm Product Width 100 mm Product Width 100 mm Product Weight 0.076 kg Weight bag (Recycling Symbol "4") 0.00402 kg Gross Weight Cubic metre 0.000517 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature Max. drying temperature Max. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Material	Nylon Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Box Length/Depth 260 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Length/Depth 22 mm Product Height 235 mm Net Weight bag (Recycling Symbol "4") 0.00402 kg Weight cardboard (Recycling symbol "20" PAP) 0.006 kg Total Tare Weight 0.090 kg Cubic metre 0.000517 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 38 °C Max usage temperature (Infood contact) 175 °C Max usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Sox Length/Depth 260 mm Box Width 230 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Length/Depth 235 mm Net Weight Nou76 kg Weight cardboard (Recycling Symbol "4") 0.00402 kg Weight cardboard (Recycling symbol "20" PAP) 0.006 kg Cousie metre 0.000517 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max usage temperature (Dishwasher) 30 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) 85 cuenty Product Petlet 85 mm Box Width 85 mm Product Length/Depth 22 mm Product Length/Depth 235 mm Net Weight No Weight bag (Recycling Symbol "4") No	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 260 mm Box Width 230 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Width 100 mm Product Height 335 mm Net Weight 0.076 kg Weight bag (Recycling Symbol "4") 0.00402 kg Weight cardboard (Recycling symbol "20" PAP) 10.000517 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Quantity Per Layer (Pallet) 500 Pcs. Box Length/Depth 600 mm Box Width 600 mm Box Height 700 Pcduct Length/Depth 700 Pcduct Length/Depth 700 Pcduct Width 85 Pcduct Width 85 Pcduct Width 700 Pcduct Width 700 Pcduct Width 700 Pcduct Width 85 Pcduct Width 85 Pcduct Width 700 Pcduct Width 85 Pcduct Width 700 Pcduct Width 85 Pcduct Width 86 Pcduct Width 700 Pcduct Width 700 Pcduct Width 87 Pcduct Width 88 Pcduct Width 89 Pcduct Width 700 Pcduct Width 80 Pcduct Width	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 3150 Pcs Quantity Per Layer (Pallet) 500 Length/Depth 600 mm 600 Midth 600 mm 60	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 260 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Udith 100 mm Product Height 235 mm Net Weight 0.076 kg Weight bag (Recycling Symbol "4") 0.00402 kg Weight cardboard (Recycling symbol "20" PAP) 0.006 kg Total Tare Weight 0.01002 kg Gross Weight 0.01002 kg Cubic metre 0.000517 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)3150 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length/Depth260 mmBox Width230 mmBox Height85 mmProduct Length/Depth22 mmProduct Width100 mmProduct Weight235 mmNet Weight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)3150 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth260 mmBox Width230 mmBox Height85 mmProduct Length/Depth22 mmProduct Width100 mmProduct Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 260 mm Box Width 230 mm Box Height 85 mm Product Length/Depth 22 mm Product Width 100 mm Product Height 235 mm Net Weight 0.076 kg Weight bag (Recycling Symbol "4") 0.00402 kg Weight cardboard (Recycling symbol "20" PAP) 0.006 kg Total Tare Weight 0.01002 kg Gross Weight 0.09 kg Cubic metre 0.000517 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Quantity	10 Pcs.
Box Length/Depth260 mmBox Width230 mmBox Height85 mmProduct Length/Depth22 mmProduct Width100 mmProduct Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Quantity per Pallet (80 x 120 x approx.180 cm)	3150 Pcs
Box Width230 mmBox Height85 mmProduct Length/Depth22 mmProduct Width100 mmProduct Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.009 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Quantity Per Layer (Pallet)	150 Pcs.
Box Height85 mmProduct Length/Depth22 mmProduct Width100 mmProduct Height235 mmNet Weight Weight bag (Recycling Symbol "4")0.076 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Length/Depth	260 mm
Product Length/Depth22 mmProduct Width100 mmProduct Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Width	230 mm
Product Width100 mmProduct Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMin. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Box Height	85 mm
Product Height235 mmNet Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Product Length/Depth	22 mm
Net Weight0.076 kgWeight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Product Width	100 mm
Weight bag (Recycling Symbol "4")0.00402 kgWeight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Product Height	235 mm
Weight cardboard (Recycling symbol "20" PAP)0.006 kgTotal Tare Weight0.01002 kgGross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Net Weight	0.076 kg
Total Tare Weight 0.01002 kg Gross Weight 0.09 kg Cubic metre 0.000517 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Weight bag (Recycling Symbol "4")	0.00402 kg
Gross Weight0.09 kgCubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Weight cardboard (Recycling symbol "20" PAP)	0.006 kg
Cubic metre0.000517 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Total Tare Weight	0.01002 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Gross Weight	0.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.000517 M3
Max usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (food contact)	175 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022004634	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-13 Number	5705022004634

GTIN-14 Number (Box quantity)	15705028004642
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.