40602 Hand Scraper, 75 mm, Green







Designed for cleaning small spaces and rounded equipment such as large bowls, this narrow hand scraper is ideal for loosening stubborn dirt, including pastry, chocolate and burnt food. The polypropylene material reduces the risk of scratching sensitive surfaces.

Technical Data

Blade Thickness3.3 mmMaterialPolypropyleneRecycling Symbol "5", Polypropylene (PP)YesComplies with EC) 1935/2004 on food contact materials'YesComplies with ED Regulation 2023/2006/EC of GoodYesManufacturing PracticeComplies with FDA Regulation CFR 21'YesComplies with IX 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity Per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Leigth/Depth290 mmBox Width195 mmBox Width195 mmProduct Leigth/Depth18 mmProduct Leigth/Depth18 mmProduct Width75 mmProduct Height0.004 kgWeight bag (Recycling symbol "20" PAP)0.004 kgQubic metre0.00283 M3Recommended sterilisation temperature (Autoclave)121 "CMax. cleaning temperature (Ios contact)100 "CMax usage temperature (non food contact)100 "CMax usage temperature (Ios contact)0.00 CMax usage temperature-20 "CMax. drying temperature-20 "CMax. drying temperature-20 "CMax. drying temperature-20 "CMax. drying temperature-20 "C	Item Number	40602
Recycling Symbol "5", Polypropylene (PP)YesComplies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Kidth195 rmBox Height175 mmProduct Length/Depth210 mmNet Weight0.05 kgWeight cardboard (Recycling Symbol "4")0.004 kgVeight bag (Recycling Symbol "4")0.004 kgCoubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax usage temperature-20 °CMax usage temperature-20 °CMax. drying temperature120 °C	Blade Thickness	3.3 mm
Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with WX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Read Regulation (EC) No. 1907/2006YesComplies with Read Regulation (EC) No. 1907/2006YesComplies with Hala and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight bag (Recycling Symbol "4")0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "20" PAP)0.004 kgCotal Tare Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (IoIshwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing PracticeComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "20" PAP)0.004 kgCotal Tare Weight0.06 kgCubic metre0.000283 M3Recommended sterillisation temperature (Autoclave)121 °CMax usage temperature (Dos contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Height0.05 kgWeight digt (Recycling Symbol "4")0.004 kgGross Weight0.06 kgGubic metre0.000283 M3Recommended strilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature100 °CMax. drying temperature20 °CMax. drying temperature120 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgGross Weight0.006 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Iolshwasher)93 °CMax usage temperature (food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4")0.004 kgGross Weight0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature120 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Width75 mmProduct Width0.05 kgWeight bag (Recycling Symbol "4")0.004 kgVotal Tare Weight0.008 kgGross Weight0.008 kgGross Weight0.008 kgGross Weight0.008 kgGross Weight0.007 CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °C	Complies with California Proposition 65	Yes
Box Quantity25 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgVeight cardboard (Recycling symbol "20" PAP)0.004 kgGross Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature2.0 °CMax. drying temperature120 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)4000 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.00283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)150 Pcs.Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °C	Box Quantity	25 Pcs.
Box Length/Depth290 mmBox Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	4000 Pcs
Box Width195 mmBox Height175 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.066 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	150 Pcs.
Box Height175 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgCubic metre0.00283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Length/Depth	290 mm
Product Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.066 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Width	195 mm
Product Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Box Height	175 mm
Product Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °C	Product Length/Depth	18 mm
Net Weight0.05 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature and contact100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Product Width	75 mm
Weight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.006 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °C	Product Height	210 mm
Weight cardboard (Recycling symbol "20" PAP)0.004 kgTotal Tare Weight0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °C	Net Weight	0.05 kg
Total Tare Weight0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Weight bag (Recycling Symbol "4")	0.004 kg
Gross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °C	Weight cardboard (Recycling symbol "20" PAP)	0.004 kg
Cubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Total Tare Weight	0.008 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Gross Weight	0.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.000283 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration10.5 pH	Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number 5705020406027	GTIN-13 Number	5705020406027

GTIN-14 Number (Box quantity)	15705020406024
Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.