41856

Narrow Cleaning Brush with Long Handle, 16.5", Stiff, Yellow







Easily clean small spaces with this 46 mm wide narrow-headed brush. The bristles are angled to facilitate easy cleaning of corners, the grip is designed for extra stability and the entire brush is color-coded to support HACCP principles.

## **Technical Data**

Bristle stiffness     Stiff       Visible bristle length     1.4 "       Material     Polypropylene Polyester (PBT) Stainless Steel (AUSI 304L)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EDR Regulation 2023/2006/EC of Good Manufacturing Practice     Yes       Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice     Yes       Complies with FDA Regulation CFR 21'     Yes       Complies with K 2019 No. 704 on food contact materials     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS intentionally added     No       Design Registration No.     EU 008654125-0003, UK 6139373       Box Quantity     10 Pcs.       Quantity Per Pallet (80 x 120 x approx.180 cm)     480 Pcs.       Quantity Per Layer (Pallet)     70 Pcs.       Box Length/Depth     20.9 "       Box Width     9.1 "       Box Height     5.9 "       Product Height     4.3 "       Not Weight Doptin     0.66 Ibs       Vieight Cardboard (Recycling symbol "20" PAP)     0.06 Ibs       Total Tare Weight     0.071 Ibs       Gross Weight     0.5800 Ibs <th>Item Number</th> <th>41856</th>	Item Number	41856
Material     Polypropylene Polyester (PET) Stainless Steel (AISI 304L)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice     Yes       Complies with FDA Regulation CFR 21'     Yes       Complies with WX 2019 No. 704 on food contact materials     Yes       Meets the REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS intentionally added     No       Design Registration No.     EU 008554125-0003, UK 6139373       Box Quantity     10 Pes.       Quantity Per Pallet (80 x 120 x approx.180 cm)     480 Pcs.       Quantity Per Layer (Pallet)     70 Pcs.       Box Length/Depth     20.9 "       Box Width     9.1 "       Box Height     5.9 "       Product Length/Depth     16.5 "       Product Height     4.3 "       Weight cardboard (Recycling symbol "20" PAP)     0.06 Ibs       Veight cardboard (Recycling symbol "20" PAP)     0.02 Ibs       Weight dight cardboard (Recycling symbol "20" PAP)     0.06 Ibs       Total Tare Weight     0.077 Ibs       Gross W	Bristle stiffness	Stiff
(PBT) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Height4.3 "Net Weight0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.071 ltsRecommended sterillisation temperature (Autoclave)249.8 "FMax usage temperature (Ioid contact)176 "FMax usage temperature (non food contact)212 "FMin. usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Visible bristle length	1.4 "
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UX 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight Cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5071 lfsRecommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (Dishwasher)199.4 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Material	(PBT) Stainless Steel
Manufacturing PracticeComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (Dishwasher)199.4 "FMax usage temperature (non food contact)212 "FMin. usage temperature (non food contact)212 "FMin. usage temperature (non food contact)212 "FMin. usage temperature (Autoclave)249.8 "F	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Kleight5.9 "Product Length/Depth16.5 "Product Length/Depth0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)176 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (Dishwasher)199.4 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth16.5 "Product Width1.8 "Product Width0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsCotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (food contact)199.4 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth1.8 "Product Width1.8 "Product Width0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (food contact)176 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Meets the REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally addedNoDesign Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth1.8 "Product Height0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.66 lbsTotal Tare Weight0.751 fl3Recommended sterilisation temperature (Autoclave)249.8 "FMax. cleaning temperature (Dishwasher)199.4 "FMax usage temperature (non food contact)212 "FMin. usage temperature-4 "F	Complies with California Proposition 65	Yes
Design Registration No.EU 008554125-0003, UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Width1.8 "Product Height0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Complies with Halal and Kosher	Yes
UK 6139373Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth16.5 "Product Width1.8 "Product Width0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.571 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature4 °F	PFAS intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)480 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth1.8 "Product Width1.8 "Product Height0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Design Registration No.	
Quantity Per Layer (Pallet)70 Pcs.Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Length/Depth1.8 "Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)212 °FMin. usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Box Quantity	10 Pcs.
Box Length/Depth20.9 "Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.5809 lbsCubic Feet0.071 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Quantity per Pallet (80 x 120 x approx.180 cm)	480 Pcs.
Box Width9.1 "Box Height5.9 "Product Length/Depth16.5 "Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.77 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)212 °FMin. usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Quantity Per Layer (Pallet)	70 Pcs.
Box Height5.9 "Product Length/Depth16.5 "Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (non food contact)212 °FMin. usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Box Length/Depth	20.9 "
Product Length/Depth16.5 "Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Box Width	9.1 "
Product Width1.8 "Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Box Height	5.9 "
Product Height4.3 "Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Product Length/Depth	16.5 "
Net Weight0.5071 lbsWeight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Product Width	1.8 "
Weight bag (Recycling Symbol "4") LDPE0.02 lbsWeight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Product Height	4.3 "
Weight cardboard (Recycling symbol "20" PAP)0.06 lbsTotal Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Net Weight	0.5071 lbs
Total Tare Weight0.07 lbsGross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Weight bag (Recycling Symbol "4") LDPE	0.02 lbs
Gross Weight0.5809 lbsCubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Cubic Feet0.0751 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Total Tare Weight	0.07 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Gross Weight	0.5809 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Cubic Feet	0.0751 ft3
Max usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)212 °FMin. usage temperature-4 °F	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature -4 °F	Max usage temperature (food contact)	176 °F
	Max usage temperature (non food contact)	212 °F
Max. drying temperature212 °F	Min. usage temperature	-4 °F
	Max. drying temperature	212 °F

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022022676
GTIN-14 Number (Box quantity)	15705028022684
Customs Tariff Number	96039099
UNSPSC Code	47131605
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.