Washing Brush w/short Handle, 270 mm, Hard, Green







Ideal for removing stubborn dirt from conveyor belts, production lines, machinery and food preparation surfaces, this Washing Brush features a short, ergonomic handle for easy and effective daily cleaning.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester Stainless Steel (AlSI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation! CFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity Cuantity Pes. Quantity per Pallet (80 x 120 x 180-200 cm) 100 Pcs. Pes. Box Length 380 mm Pcs. Box Length 380 mm Pcs. Box Width 285 mm Pcs. Box Height 35 mm Pcs. Box Height 35 mm Pcs. Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.005 kg kg Cupre: Weight cardboard (Recycling symbol "20" PAP)	Item Number	41922
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with I W 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs. Box Length 380 mm Box Width 285 mm Box Width 285 mm Box Height 135 mm Length 85 mm Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.065 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.01607 M3 </th <th>Bristle stiffness</th> <th>Hard</th>	Bristle stiffness	Hard
Polyester Stainless Steel (AISI 304)	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity Per Pallet (80 x 120 x 180-200 cm) 104 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.070 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave)	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.065 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact)		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 (BB 20257000001-3 (BB 2025700001-3 (BB 20257000001-3 (BB 2025700001-3 (BB 202570001-3 (BB 202570001-3 (BB 202570001-3 (BB 202570001-3 (BB 202570001-3 (BB 2025700001-3 (BB 2025700001-3 (BB 202570001-3 (BB 202570001-3 (BB 202570001-3 (BB 20257000	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 2025700001-3, GB 20257000001-3, GB 20257000001-3, GB 2025700001-3, GB 20257000001-3, GB 20257000001-3, GB 20257000	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 GB 20257000001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width285 mmBox Height135 mmLength270 mmWidth70 mmHeight85 mmNet Weight weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	
Quantity Per Layer (Pallet)80 Pcs.Box Length380 mmBox Width285 mmBox Height135 mmLength270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length 380 mm Box Width 285 mm Box Height 135 mm Length 270 mm Width 70 mm Height 85 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	1040 Pcs
Box Width285 mmBox Height135 mmLength270 mmWidth70 mmHeight85 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	80 Pcs.
Box Height135 mmLength270 mmWidth70 mmHeight85 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Length	380 mm
Length270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Width	285 mm
Width70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Height	135 mm
Height85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Length	270 mm
Net Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Height	85 mm
(LDPE)Weight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.28 kgCubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.21 kg
Tare total 0.0706 kg Gross Weight 0.28 kg Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C		0.0056 kg
Gross Weight Cubic metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.065 kg
Cubic metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.0706 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.28 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.001607 M3
Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020419225
GTIN-14 Number (Box quantity)	15705020419222
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.