41956

Narrow Hand Brush w/Short Handle, 300 mm, Very hard, Yellow







Clean narrow spaces between food equipment with this Narrow Hand Brush. Also ideal for cleaning squeegee blades and other cleaning tools.

Technical Data

Item Number 41956 Bristle stiffness Very hard Visible bristle length 33 mm Material Polypropylene Polyester (PET) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials* Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with KEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Optigs with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002364174-0.2, GB 9002364174001-2 Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Width 180 mm Box Vidth 180 mm Box Width 100 mm Product Length/Depth 330 mm Box Weight bag (Recycling symbol "4") 0.08 kg Weight bag (Recycling symbol "4") 0.012 kg Total Tare Weight 0.012 kg Gross Weight bag (Recycling symbol "20" PAP) 0.012 kg		
Visible bristle length33 mmMaterialPolypropylene Polyester (PBT) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation 1CFR 21'YesComplies with WK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with Alal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GB 90023641740001-2Box Quantity10 Pcs.Quantity Per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width160 mmBox Height00 mmProduct Length/Depth300 mmProduct Length/Depth0.0012 kgTotal Tare Weight0.012 kgGross Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)60 °C <th>Item Number</th> <th>41956</th>	Item Number	41956
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002364174.01-2, GB Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length/Depth 335 mm Box Width 180 mm Box Width 20 mm Product Length/Depth 300 mm Product Height 70 mm Product Height 0.09 kg Weight bag (Recycling Symbol "4") 0.003 r kg Weight bag (Recycling Symbol "20" PAP) 0.012 kg Total Tare Weight 0.013 r kg Weight bag (Recycling Symbol "20" PAP) 0.012 kg Total Tare Weight 0.012 kg Goross Weight 0.	Bristle stiffness	Very hard
(PBT) Stanless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of GoodYesComplies with FDA Regulation 1 CFR 21'YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 002364174.01-2, GBBox Quantity10 Pcs.Quantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmProduct Length/Depth300 mmProduct Height70 mmNet Weight0.09 kgWeight Cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.111 kgCubic metre0.00042 M3Recommended sterillisation temperature (Autoclave)121 °CMax usage temperature (non food contact)80 °CMax usage temperature (non food contact)80 °CMax usage temperature "-20 °C	Visible bristle length	33 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmProduct Length/Depth300 mmProduct Length/Depth0.0037 kgWeight bag (Recycling Symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)00 °CMin. usage temperature?-20 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002364174-1-2, GB 90023641744001-2 Box Quantity 10 Pes. Quantity per Pallet (80 x 120 x approx.180 cm) 2520 Pes Quantity Per Layer (Pallet) 120 Pes. Box Length/Depth 335 mm Box Width 180 mm Box Height 90 mm Product Length/Depth 300 mm Product Length/Depth 300 mm Product Height 0.09 kg Weight cardboard (Recycling Symbol "4") 0.012 kg Total Tare Weight 0.111 kg Cubic metre 0.00042 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GBgou23641740001-2Box QuantityBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Width180 mmProduct Length/Depth300 mmProduct Length/Depth000 mmProduct Length/Depth0.00 kgWeight bag (Recycling Symbol "4")0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterillsation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature ⁶ -20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth0.00 mmProduct Height0.0037 kgWeight bag (Recycling Symbol "4")0.012 kgCotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth300 mmProduct Kidth20 mmProduct Height0.09 kgWeight bag (Recycling Symbol "4")0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature*-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-1-2, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth300 mmProduct Kidth20 mmProduct Kidth0.00 mmProduct Height0.0037 kgWeight bag (Recycling Symbol "4")0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002364174-02, GB 90023641740001-2Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth000 mmProduct Height0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002364174-1-2, GB 90023641740001-2Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth000 mmProduct Height0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with Halal and Kosher	Yes
90023641740001-2Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth300 mmProduct Width20 mmProduct Width0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)2520 PcsQuantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)120 Pcs.Box Length/Depth335 mmBox Width180 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Length/Depth20 mmProduct Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C	Box Quantity	10 Pcs.
Box Length/Depth335 mmBox Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.111 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	2520 Pcs
Box Width180 mmBox Height90 mmProduct Length/Depth300 mmProduct Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	120 Pcs.
Box Height90 mmProduct Length/Depth300 mmProduct Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length/Depth	335 mm
Product Length/Depth300 mmProduct Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °C	Box Width	180 mm
Product Width20 mmProduct Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	90 mm
Product Height70 mmNet Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Length/Depth	300 mm
Net Weight0.09 kgWeight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Width	20 mm
Weight bag (Recycling Symbol "4")0.0037 kgWeight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Height	70 mm
Weight cardboard (Recycling symbol "20" PAP)0.012 kgTotal Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.09 kg
Total Tare Weight0.0157 kgGross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight bag (Recycling Symbol "4")	0.0037 kg
Gross Weight0.11 kgCubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.012 kg
Cubic metre0.00042 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Total Tare Weight	0.0157 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.11 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.00042 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020419560
GTIN-14 Number (Box quantity)	15705020419567
Customs Tariff Number	96039091
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.