Powder Brush, 300 mm, Soft, White







This Powder Brush is designed for sweeping fine particles such as flour from conveyor belts and food preparation surfaces.

Technical Data

Visible bristle length 40 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Width 240 mm Box Width 240 mm Box Height 35 mm Box Height 30 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.33 kg Gross Weight 0.33 kg Cubic metre 0.00725 kg <th>Item Number</th> <th>45825</th>	Item Number	45825
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with Galifornia Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length Box Width 240 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 131 mm Height 78 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10.025 kg Gross Weight 0.035 kg Cubic metre 0.00725 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Bristle stiffness	Soft
(PET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length Box Width 240 mm Box Width 240 mm Width Height 160 mm Height Net Weight 103 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total O.0256 kg Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (food contact) Max. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 131 mm Height Net Weight 10.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10.02 kg Gross Weight 10.03 kg Cubic metre 10.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) Max usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. usage temperature 100 °C Min. pH-value in usage concentration	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No. Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight 0.33 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max. usage temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 80x Length Box Width 240 mm Box Height Length/Depth 300 mm Net Weight Net Weight Net Weight Net Weight Net Weight Net Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Iosh washer) Max. usage temperature (Iosh contact) Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 131 mm Height 78 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10.02 kg Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length Box Width 240 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 131 mm Height 78 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 10.0256 kg Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.03 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature² -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.03 kg Cubic metre 0.000725 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)100 Pcs.Box Length325 mmBox Width240 mmBox Height160 mmLength/Depth300 mmWidth31 mmHeight78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length 325 mm Box Width 240 mm Box Height 160 mm Length/Depth 300 mm Width 31 mm Height 78 mm Net Weight 0.3 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	1100 Pcs.
Box Width240 mmBox Height160 mmLength/Depth300 mmWidth31 mmHeight78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	100 Pcs.
Box Height160 mmLength/Depth300 mmWidth31 mmHeight78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	325 mm
Length/Depth300 mmWidth31 mmHeight78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	240 mm
Width31 mmHeight78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	160 mm
Height78 mmNet Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length/Depth	300 mm
Net Weight0.3 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.33 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	31 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Height	78 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.0256 kg Gross Weight Cubic metre O.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.3 kg
Tare total 0.0256 kg Gross Weight 0.33 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Min. pH-value in usage concentration 2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0056 kg
Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 100 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Tare total	0.0256 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Gross Weight	0.33 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000725 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max. usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
_ `	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705020458252
GTIN-13 Number	5705020458255

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.