

# Tube Brush for Flexible Handle

0.5", 7.9", Medium, Yellow



**Item Number: 53546**

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.

## General Information

|                          |   |
|--------------------------|---|
| <b>Bristle stiffness</b> | Medium  |
| <b>Color</b>             | Yellow  |
| <b>Material</b>          | Polyester (PBT), Stainless Steel (AISI 303Cu), Stainless Steel (AISI 304Cu) |
| <b>UNSPSC Code</b>       | 27113002  |
| <b>Country of Origin</b> | Denmark   |

## Product Dimensions

|                               |            |
|-------------------------------|------------|
| <b>Visible bristle length</b> | 0.2 "      |
| <b>Product diameter</b>       | 0.5 "      |
| <b>Product Length/Depth</b>   | 7.9 "      |
| <b>Product Width</b>          | 0.5 "      |
| <b>Product Height</b>         | 0.5 "      |
| <b>Net Weight</b>             | 0.0441 lbs |

## Packaging & Shipping Details

|   |                |
|---|----------------|
| <b>Box Quantity</b>   | 10 Pcs.        |
| <b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>           | 3960 Pcs.      |
| <b>Quantity Per Layer (Pallet)</b>                              | 220 Pcs.       |
| <b>Box Length/Depth</b>   | 11 "           |
| <b>Box Width</b>  | 4.9 "          |
| <b>Box Height</b>   | 3.1 "          |
| <b>Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.</b>   | 0.01 lbs       |
| <b>Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.</b> | 0.02 lbs       |
| <b>Total Tare Weight</b>  | 0.02 lbs       |
| <b>Gross Weight</b>   | 0.0677 lbs     |
| <b>Cubic Feet</b>   | 0.001 ft3      |
| <b>GTIN-13 Number</b>   | 5705020535468  |
| <b>GTIN-14 Number (Box quantity)</b>                            | 15705020535465 |
| <b>Customs Tariff Number</b>                                    | 96039099       |



Item Number: 53546

## Compliance & Standard Details

|   |     |
|---|-----|
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulation CFR 21 <sup>1</sup>                        | Yes |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006                           | Yes |
| Complies with California Proposition 65                                 | Yes |
| Complies with Halal and Kosher  | Yes |
| PFAS intentionally added  | No  |

## Usage Limits

|   |          |
|---|----------|
| Recommended sterilisation temperature (Autoclave) | 249.8 °F |
| Max. cleaning temperature (Dishwasher)            | 199.4 °F |
| Max usage temperature (food contact)              | 176 °F   |
| Max usage temperature (non food contact)          | 212 °F   |
| Min. usage temperature                            | -4 °F    |
| Max. drying temperature                           | 212 °F   |
| Min. pH-value in usage concentration              | 2 pH     |
| Max. pH-value in Usage Concentration              | 10.5 pH  |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.

