Pipe Exterior Brush, Ø55 mm, 360 mm, Medium, Blue







Keep pipework free of dust and contaminants with this Pipe Exterior Brush, featuring an adjustable head for cleaning pipes with an outside diameter of up to 100 mm.

Technical Data

Bristle stiffness Medium Visible bristle length 24 mm Material Polysest (PSI miss) Steel (AISI 304) Polypropylens Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EUR 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 20 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight	Item Number	53723
Material Polyester (PBT) Stainless Steel (AISI 304) Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning t	Bristle stiffness	Medium
Stainless Steel (AISI 304) Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Paliet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Gross Weight 0.2 kg Cubic metre 0.00369 kg Gross Weight 0.2 kg	Visible bristle length	24 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Gross Weight 0.2 kg Cubic metre 0.0036 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher)	Material	Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) <	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C <	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Gross Weight 0.2 kg Gubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 1	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)280 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length545 mmBox Width270 mmBox Height220 mmProduct Diameter55 mmLength/Depth360 mmWidth200 mmHeight55 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature*-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 280 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 40 Pcs. Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Box Quantity	10 Pcs.
Box Length 545 mm Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	280 Pcs.
Box Width 270 mm Box Height 220 mm Product Diameter 55 mm Length/Depth 360 mm Width 200 mm Height 55 mm Net Weight 0.16 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.01 kg Weight cardboard (Recycling symbol "20" PAP) 0.0262 kg Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height220 mmProduct Diameter55 mmLength/Depth360 mmWidth200 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	545 mm
Product Diameter55 mmLength/Depth360 mmWidth200 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	270 mm
Length/Depth360 mmWidth200 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	220 mm
Width200 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature³-20 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Diameter	55 mm
Height55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length/Depth	360 mm
Net Weight0.16 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	200 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.01 kgWeight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Height	55 mm
Weight cardboard (Recycling symbol "20" PAP)0.0262 kgTare total0.0362 kgGross Weight0.2 kgCubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Net Weight	0.16 kg
Tare total 0.0362 kg Gross Weight 0.2 kg Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.01 kg
Gross Weight Cubic metre 0.00396 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature	Weight cardboard (Recycling symbol "20" PAP)	0.0262 kg
Cubic metre0.00396 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0362 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.00396 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max. usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	80 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022002616
GTIN-14 Number (Box quantity)	15705028002648
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.