Tube Brush, Ø10 mm, 500 mm, Hard, Blue





Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyor belts with this handy Tube Brush.

Technical Data

Bristle stiffness Hard Visible bristle length 3 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0000 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Box Height 105 mm Box Height 20 mm Width 22 mm Height 20 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycl	Item Number	53753
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Width 150 mm Box Width 150 mm Box Height 105 mm Width 22 mm Net Weight 0.00 mm Width 22 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.00 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg	Bristle stiffness	Hard
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with EEACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Width 150 mm Box Width 150 mm Box Height 105 mm Width 22 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.008 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Gross Weight 0.007 kg Weight cardboard (Recycling symbol "20" PAP) 0.000242 m3	Visible bristle length	3 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2. GRB 900217507550001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) <th< th=""><th>Complies with (EC) 1935/2004 on food contact materials¹</th><th>Yes</th></th<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Net Weight 0.07 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.08 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C <		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Net Weight 0.07 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.09 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.09 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-00002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002175075-1-2, GB 9002175075001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Net Weight 22 mm Net Weight 0.07 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with California Proposition 65	Yes
Design Registration No. EU 002175075-1-2, GB 90021750750001-0002 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Net Weight 0.07 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.09 kg Weight cardboard (Recycling symbol "20" PAP) 0.08 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 80 °C	Complies with Halal and Kosher	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 2550 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)2550 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter10 mmLength500 mmWidth22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C	Box Quantity	15 Pcs.
Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter10 mmLength500 mmWidth22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	2550 Pcs
Box Width 150 mm Box Height 105 mm Product Diameter 10 mm Length 500 mm Width 22 mm Height 22 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.009 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.017 kg Gross Weight 0.09 kg Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C	Quantity Per Layer (Pallet)	150 Pcs.
Box Height105 mmProduct Diameter10 mmLength500 mmWidth22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Box Length	525 mm
Product Diameter10 mmLength500 mmWidth22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Box Width	150 mm
Length500 mmWidth22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Box Height	105 mm
Width22 mmHeight22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Product Diameter	10 mm
Height22 mmNet Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Length	500 mm
Net Weight0.07 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Width	22 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.009 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Height	22 mm
Weight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.017 kgGross Weight0.09 kgCubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Net Weight	0.07 kg
Tare total Gross Weight Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 80 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.009 kg
Gross Weight Cubic metre 0.000242 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 80 °C	Weight cardboard (Recycling symbol "20" PAP)	0.008 kg
Cubic metre0.000242 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Tare total	0.017 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Gross Weight	0.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °C	Cubic metre	0.000242 M3
Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 80 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	80 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020537530
GTIN-14 Number (Box quantity)	15705020537537
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact