5380902

Pipe Cleaning Brush f/handle, Ø90 mm, Medium, Green







Easily clean pipes and tubes on appliances such as fish-sorting machines, with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

## **Technical Data**

Bristle stiffness Medium   Visible bristle length 30 mm   Material Polypropylene Polypester (PET) Stainless Steel (AIS) 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes   Complies with FDA Regulation 1CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA Intentionally added No   Box Quantity 10 Pcs.   Quantity Per Layer (Pallet) 96 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Length/Depth 0.0063 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0026 Mg   Recommended storillsation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C <td< th=""><th>Item Number</th><th>5380902</th></td<>	Item Number	5380902
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes   Complies with FDA Regulation I CFR 21' Yes   Complies with CAI Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 10 Pcs.   Quantity Per Layer (Pallet) 960 Pcs.   Box Length 380 mm   Box Vidth 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Height 0.048 kg   Gross Weight 0.174 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Complias with tail for temperature (Autoclave) 121 °C   Max .cleaning temperature (Dishwasher) 93 °C   Ma	Bristle stiffness	Medium
(PBT) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Manufacturing Practice Yes   Complies with FDA Regulation 1CFR 21' Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs.   Box Length 380 mm   Box Length 380 mm   Box Width 290 mm   Box Width 900 mm   Length/Depth 160 mm   Weight 0.14 kg   Weight 0.14 kg   Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterillsation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 80 °C   Max. usage temperature (non food contact) <td>Visible bristle length</td> <td>30 mm</td>	Visible bristle length	30 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with EDA Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmLength0.04 kgWeight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.011266 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature	Material	(PBT) Stainless Steel
Manufacturing Practice   Complies with FDA RegulationI CFR 211 Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with California Proposition 65 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs.   Quantity Per Layer (Pallet) 96 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Leight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001266 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 80 °C   Max. usage temperature (non food	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Hala and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmMeight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.01296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax. usage temperature (food contact)00 °CMax. drying temperature-20 °CMax. drying temperature100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmLength0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.01296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmLengtht0.14 kgWeight0.14 kgWeight bag (Recycling Symbol "4") LDPE > PCR 30%0.0063 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature00 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmHeight00 mmWeight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.283 kgTare total0.0126 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs.   Quantity Per Layer (Pallet) 96 Pcs.   Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.01296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature (non food contact) 100 °C   Max. drying temperature -20 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.228 kgTare total0.01296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax. usage temperature (food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)960 Pcs.Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmHeight00 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.01296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)96 Pcs.Box Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength/Depth160 mmWidth90 mmHeight00 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic cmetre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Height 90 mm   Height 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max usage temperature (non food contact) 80 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature -20 °C   Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Box Width 290 mm   Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Height 90 mm   Height 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max. usage temperature (food contact) 80 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature³ -20 °C   Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	96 Pcs.
Box Height 175 mm   Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Height 90 mm   Height 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max. usage temperature (food contact) 80 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature3 -20 °C   Max. drying temperature 100 °C	Box Length	380 mm
Product Diameter 90 mm   Length/Depth 160 mm   Width 90 mm   Height 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Ibishwasher) 93 °C   Max. usage temperature (food contact) 80 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature3 -20 °C   Max. drying temperature 100 °C	Box Width	290 mm
Length/Depth 160 mm   Width 90 mm   Height 90 mm   Net Weight 0.14 kg   Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0063 kg   Weight cardboard (Recycling symbol "20" PAP) 0.0283 kg   Tare total 0.0346 kg   Gross Weight 0.17 kg   Cubic metre 0.001296 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Dishwasher) 93 °C   Max. usage temperature (food contact) 80 °C   Max usage temperature (non food contact) 100 °C   Min. usage temperature³ -20 °C   Max. drying temperature 100 °C	Box Height	175 mm
Width90 mmHeight90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Product Diameter	90 mm
Height90 mmNet Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Length/Depth	160 mm
Net Weight0.14 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Width	90 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Height	90 mm
Weight cardboard (Recycling symbol "20" PAP)0.0283 kgTare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Net Weight	0.14 kg
Tare total0.0346 kgGross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0063 kg
Gross Weight0.17 kgCubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0283 kg
Cubic metre0.001296 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0346 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.17 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001296 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max. usage temperature (food contact)	80 °C
Max. drying temperature100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705025380292
GTIN-14 Number (Box quantity)	15705025380299
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.