

5381906

Pipe Brush w/handle, one
piece, 430 mm,
Medium/hard, Yellow



Effectively remove stubborn dirt and food deposits from pipework with this robust, one-piece Pipe Brush. With no joint between the handle and brush head and extra-stiff filaments, this brush delivers excellent cleaning results.

Technical Data

| | |
|--|--|
| Item Number | 5381906 |
| Bristle stiffness | Medium/hard |
| Visible bristle length | 32 mm |
| Material | Polypropylene Polyester (PBT) Stainless Steel (AISI 304) |
| Complies with (EC) 1935/2004 on food contact materials¹ | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulation CFR 21¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Box Quantity | 10 Pcs. |
| Quantity per Pallet (80 x 120 x approx.180 cm) | 540 Pcs |
| Quantity Per Layer (Pallet) | 60 Pcs. |
| Box Length/Depth | 600 mm |
| Box Width | 295 mm |
| Box Height | 210 mm |
| Product Diameter | 90 mm |
| Product Length/Depth | 430 mm |
| Product Width | 90 mm |
| Product Height | 90 mm |
| Net Weight | 0.17 kg |
| Weight bag (Recycling Symbol "4") | 0.0085 kg |
| Weight cardboard (Recycling symbol "20" PAP) | 0.0215 kg |
| Total Tare Weight | 0.03 kg |
| Gross Weight | 0.2 kg |
| Cubic metre | 0.003483 M3 |
| Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max. cleaning temperature (Dishwasher) | 93 °C |
| Max usage temperature (food contact) | 80 °C |
| Max usage temperature (non food contact) | 100 °C |
| Min. usage temperature³ | -20 °C |
| Max. drying temperature | 100 °C |
| Min. pH-value in usage concentration | 2 pH |

| | |
|---|----------------|
| Max. pH-value in Usage Concentration | 10.5 pH |
| GTIN-13 Number | 5705022001817 |
| GTIN-14 Number (Box quantity) | 15705028001825 |
| Customs Tariff Number | 96039099 |
| Country of Origin ISO Code | DK |
| Country of Origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.