


53963



Tube Brush f/flexible handle  
53515 or 53525, Ø140 mm,  
210 mm, Medium, Blue



This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.

# Technical Data

<b>Item Number</b>	53963
<b>Bristle stiffness</b>	Medium
<b>Visible bristle length</b>	66 mm
<b>Material</b>	Polyester (PBT) Stainless Steel (AISI 303Cu) Stainless Steel (AISI 304)
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulationl CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Complies with REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with California Proposition 65</b>	Yes
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS, Phthalates and BPA intentionally added</b>	No
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	420 Pcs
<b>Quantity Per Layer (Pallet)</b>	60 Pcs.
<b>Box Length/Depth</b>	715 mm
<b>Box Width</b>	295 mm
<b>Box Height</b>	210 mm
<b>Product Diameter</b>	140 mm
<b>Product Length/Depth</b>	210 mm
<b>Product Width</b>	140 mm
<b>Product Height</b>	140 mm
<b>Net Weight</b>	0.097 kg
<b>Weight bag (Recycling Symbol "4")</b>	0.0129 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.05 kg
<b>Total Tare Weight</b>	0.0629 kg
<b>Gross Weight</b>	0.16 kg
<b>Cubic metre</b>	0.004116 M3
<b>Recommended sterilisation temperature (Autoclave)</b>	121 °C
<b>Max. cleaning temperature (Dishwasher)</b>	93 °C
<b>Max usage temperature (food contact)</b>	80 °C
<b>Max usage temperature (non food contact)</b>	100 °C
<b>Min. usage temperature<sup>3</sup></b>	-20 °C
<b>Max. drying temperature</b>	100 °C

<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705022036932
<b>GTIN-14 Number (Box quantity)</b>	15705028036940
<b>Customs Tariff Number</b>	96039099
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.