
Damp 48 Heavy Duty mop, Hook & Loop, 60 cm, Grey







Clean medium to heavy messes on smooth floor surfaces with Damp 48. Raised microfibre stripes cut through tough dirt, while fringe collects heavier particles. A sturdy construction combines absorbent viscose with microfibre to lock in moisture to enhance/extent coverage.

Technical Data

500 Wash Usage Guarantee Yes Nordic Swan Ecolabel Yes Nordic Swan Ecolabel Certificate No. 5083 0008 Material 81%Pes/1%PA/8% Co/10%Cv (37% Microfibre) Complies with REACH Regulation (EC) No. 1907/2006 Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1350 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Width 110 mm Product Height 5 mm Net Weight Cardboard (Recycling Symbol "4") 0.04 kg Weight Cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.16 kg Cubic metre 0.0037 mm System Size 0.0 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 55 °C Max. Machinewashing Temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601	Item Number	548760
Nordic Swan Ecolabel Certificate No. 5083 0008 Material 81%Pes/1%PA/8% Co/10%CV (37% Microfibre) Complies with REACH Regulation (EC) No. 1907/2006 Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1350 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.014 kg Gross Weight 0.016 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 <th>500 Wash Usage Guarantee</th> <th>Yes</th>	500 Wash Usage Guarantee	Yes
Material 81%Pes/1%PA/8% Co/10%CV (37% Microfibre) Complies with REACH Regulation (EC) No. 1907/2006 Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1350 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.014 kg Gross Weight 0.016 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090<	Nordic Swan Ecolabel	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1350 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.014 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE <th>Nordic Swan Ecolabel Certificate No.</th> <th>5083 0008</th>	Nordic Swan Ecolabel Certificate No.	5083 0008
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 1350 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.01 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Material	Co/10%Cv (37%
Quantity per Pallet (80 x 120 x approx.180 cm)1350 PcsQuantity Per Layer (Pallet)150 Pcs.Box Length/Depth760 mmBox Width375 mmBox Height210 mmProduct Length/Depth685 mmProduct Width110 mmProduct Height5 mmNet Weight0.15 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.16 kgCubic metre0.00377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Quantity Per Layer (Pallet) 150 Pcs. Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.01 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Box Quantity	5 Pcs.
Box Length/Depth 760 mm Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.01 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Quantity per Pallet (80 x 120 x approx.180 cm)	1350 Pcs
Box Width 375 mm Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.014 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Quantity Per Layer (Pallet)	150 Pcs.
Box Height 210 mm Product Length/Depth 685 mm Product Width 110 mm Product Height 5 mm Net Weight 0.15 kg Weight bag (Recycling Symbol "4") 0.004 kg Weight cardboard (Recycling symbol "20" PAP) 0.01 kg Total Tare Weight 0.014 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Box Length/Depth	760 mm
Product Length/Depth685 mmProduct Width110 mmProduct Height5 mmNet Weight0.15 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Box Width	375 mm
Product Width110 mmProduct Height5 mmNet Weight0.15 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Box Height	210 mm
Product Height5 mmNet Weight0.15 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Product Length/Depth	685 mm
Net Weight0.15 kgWeight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Product Width	110 mm
Weight bag (Recycling Symbol "4")0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Product Height	5 mm
Weight cardboard (Recycling symbol "20" PAP)0.01 kgTotal Tare Weight0.014 kgGross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Net Weight	0.15 kg
Total Tare Weight 0.014 kg Gross Weight 0.16 kg Cubic metre 0.000377 M3 System Size 60 cm Max. drying temperature 55 °C Max. Machinewashing Temperature 95 °Celsius Recommended sterilisation temperature (Autoclave) 121 °C GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code	Weight bag (Recycling Symbol "4")	0.004 kg
Gross Weight0.16 kgCubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Weight cardboard (Recycling symbol "20" PAP)	0.01 kg
Cubic metre0.000377 M3System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Total Tare Weight	0.014 kg
System Size60 cmMax. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Gross Weight	0.16 kg
Max. drying temperature55 °CMax. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	Cubic metre	0.000377 M3
Max. Machinewashing Temperature95 °CelsiusRecommended sterilisation temperature (Autoclave)121 °CGTIN-13 Number5705025487601GTIN-14 Number (Box quantity)15705025487608Customs Tariff Number63071090Country of Origin ISO CodeEE	System Size	60 cm
Recommended sterilisation temperature (Autoclave) GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Max. drying temperature	55 °C
GTIN-13 Number 5705025487601 GTIN-14 Number (Box quantity) 15705025487608 Customs Tariff Number 63071090 Country of Origin ISO Code EE	Max. Machinewashing Temperature	95 °Celsius
GTIN-14 Number (Box quantity) Customs Tariff Number 63071090 Country of Origin ISO Code EE	Recommended sterilisation temperature (Autoclave)	121 °C
Customs Tariff Number 63071090 Country of Origin ISO Code EE	GTIN-13 Number	5705025487601
Country of Origin ISO Code EE	GTIN-14 Number (Box quantity)	15705025487608
	Customs Tariff Number	63071090
Country of Origin Estonia	Country of Origin ISO Code	EE
	Country of Origin	Estonia

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odours as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals

that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at higher temperatures in the washing process

Use Damp

Recommended preparation 175 % of item weight

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odours as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

After washing a mop 20 times it will take the correct size as it will shrink from the first usage 7,5%

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at higher temperatures in the washing process