


549145

Panno per vetri, Gancio e anello, 40 cm, Grigio



Utilizza il panno per vetri Vikan per pulire e lucidare in modo efficiente superfici brillanti come smalti, specchi, acciaio inossidabile o altri metalli.

Technical Data

Articolo numero	549145
Materiale	80% Polyester, 20% Polyamide (100% Microfibre)
Per contatto con i prodotti alimentari (EU 1935/2004) DoC ¹	No
FDA conforme alle materie prime (CFR 21) ¹	No
Soddisfa il Regolamento REACH (CE) N. 1907/2006	Si
Quantità per colli	5 Pz.
Quantità per pallet (80 x 120 x 180 cm)	1200 Pz.
Quantity Per Layer (Pallet)	1 Pz.
Lunghezza collo/Profondità	500 mm
Larghezza collo	180 mm
Altezza collo	30 mm
Lunghezza/Profondità	480 mm
Larghezza	160 mm
Altezza	5 mm
Peso netto	0,06 kg
Peso del cartone (Recycling symbol "20" PAP)	0,01 kg
Total Tare Weight	0,01 kg
Peso lordo	0,07 kg
Metri cubi	0,000384 M3
Misura del sistema	40 cm
Max. temperatura per asciugatura	55 °C
Max. Machinewashing Temperature	95 °Celsius
Temperatura di sterilizzazione raccomandata (autoclave)	95 °C
Codice GTIN-13	5705025491455
Codice GTIN-14	15705025491452
Codice delle merce	63071010
Paese d'origine Codice ISO	ID
Paese d'origine	Indoneesia

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odors as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at higher temperatures in the washing process

Use Dry or Damp

Recommended preparation 100 % of item weight

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odors as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at higher temperatures in the washing process