

55003

Pad Holder, 9.1", Blue



Secure cleaning pads, 5523, 5524 and 5525 with the stainless-steel hooks on this solid, durable and lockable pad holder. It is designed with a revolving neck to make cleaning under equipment as low as 12 cm above floor level possible. It can be used with any Vikan handle, enabling users to safely clean floors and walls, under equipment and the outside of tanks/containers.

Technical Data

| | |
|---|--|
| Item Number | 55003 |
| Connection | Threaded |
| Material | Polypropylene Stainless Steel (AISI 304) Nylon |
| Complies with (EC) 1935/2004 on food contact materials ¹ | No |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulationl CFR 21 ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | No |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Box Quantity | 10 Pcs. |
| Quantity per Pallet (80 x 120 x approx.180 cm) | 1040 Pcs. |
| Quantity Per Layer (Pallet) | 80 Pcs. |
| Box Length/Depth | 14.8 " |
| Box Width | 11.6 " |
| Box Height | 5.5 " |
| Product Length/Depth | 9.1 " |
| Product Width | 3.7 " |
| Product Height | 3 " |
| Net Weight | 0.5159 lbs |
| Weight bag (Recycling Symbol "4") LDPE | 0.01 lbs |
| Weight cardboard (Recycling symbol "20" PAP) | 0.05 lbs |
| Total Tare Weight | 0.06 lbs |
| Gross Weight | 0.5763 lbs |
| Cubic Feet | 0.0579 ft3 |
| Recommended sterilisation temperature (Autoclave) | 249.8 °F |
| Max. cleaning temperature (Dishwasher) | 199.4 °F |
| Max usage temperature (food contact) | 212 °F |
| Max usage temperature (non food contact) | 212 °F |
| Min. usage temperature | -4 °F |
| Max. drying temperature | 248 °F |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 8 pH |
| GTIN-13 Number | 5705020550034 |

| | |
|--------------------------------------|----------------|
| GTIN-14 Number (Box quantity) | 15705020550031 |
| Customs Tariff Number | 39241000 |
| Country of Origin ISO Code | LT |
| Country of Origin | Lithuania |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.