## Pastry Brush, 30 mm, Soft, Blue







The very thin and soft bristles facilitate ease of applying marinade, egg, icing, etc. Alternatively the brush can be used for detail cleaning.

To minimise the risk of bristle loss regularly inspect the brush for loose bristles and replace the brush if any are found.

## **Technical Data**

Visible bristle length     45 mm       Material     Polypropylene Polyester (PBT) Stainless Steel (AISI 304)       Complies with (EC) 1935/2004 on food contact materials¹     Ye       Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice     Ye       Complies with FDA Regulation I CFR 21¹     Ye       Complies with UK 2019 No. 704 on food contact materials     Ye       Complies with REACH Regulation (EC) No. 1907/2006     Ye       Complies with Halal and Kosher     Ye       FFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs       Quantity per Pallet (80 x 120 x approx.180 cm)     4800 Pcs       Quantity Per Layer (Pallet)     240 Pcs       Box Length/Depth     150 mm       Box Width     150 mm       Box Height     75 mm       Product Length/Depth     195 mm       Product Height     14.5 mm       Net Weight bag (Recycling Symbol "4")     0.002 kg       Weight cardboard (Recycling symbol "20" PAP)     0.008 kg       Total Tare Weight     0.01 kg       Gross Weight     0.04 kg       Cubic metre     8.5E-05 Mm       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (Dishwasher)     93 °C       Max usage temperature (non food contact)     Min. usage temperature (non food con	Item Number	5552303
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Stainless Steel (AISI 304) Stainless Steel (AISI 304) Stainless Steel (AISI 304) Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs Quantity Per Layer (Pallet) 240 Pcs Quantity Per Layer (Pallet) 240 Pcs Box Length/Depth 240 mm Box Width 150 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 195 mm Product Length/Depth 195 mm Product Width 30 mm Product Width 30 mm Product Width 30 mm Product Height 14.5 mm Net Weight QRecycling Symbol "4") 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Coss Weight 0.01 kg Gross Weight 0.01 kg Coss Weight 0.02 kg Coss Weight 0.03 kg Coss	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹  Complies with UK 2019 No. 704 on food contact materials  Yec  Complies with UK 2019 No. 704 on food contact materials  Yec  Complies with REACH Regulation (EC) No. 1907/2006  Yec  Complies with California Proposition 65  Yec  Complies with Halal and Kosher  Yec  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pcs  Quantity Per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  150 mm  Box Width  150 mm  Product Length/Depth  195 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Height  14.5 mm  Net Weight  Quantity  Weight cardboard (Recycling symbol "4")  Quick metre  8.5E-05 Mc  Recommended sterilisation temperature (Autoclave)  Max usage temperature (Tood contact)  Max usage temperatures  Max usage temperatures  Min. usage temperatures	Visible bristle length	45 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs Quantity 10 Pcs Quantity Per Layer (Pallet) 240 Pcs Box Length/Depth 240 mn Box Width 150 mn Box Height 75 mn Product Length/Depth 195 mn Product Width 30 mn Product Width Net Weight Weight cardboard (Recycling Symbol "4") 0.002 kg Gross Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 Mc Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature of the contact in the product of the contact in t	Material	,
Manufacturing Practice  Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x approx.180 cm) Quantity per Pallet (80 x 120 x approx.180 cm) Box Length/Depth 240 Pcs Box Length/Depth 150 mn Box Height 75 mn Product Length/Depth 195 mn Product Width 30 mn Product Width 30 mn Product Weight Net Weight Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) O.002 kg Gross Weight O.01 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. usage temperature?	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yes Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity  10 Pcs Quantity per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  150 mm  Box Height  75 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Height  Net Weight  Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (food contact)  Min. usage temperature (10 in Max is a fact of the contact)  Min. usage temperature (10 in food contact)	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pcs Quantity per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  150 mm  Box Height  75 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Width  Net Weight  Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. usage temperature³	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pcs Quantity per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  150 mm  Box Height  75 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Width  Net Weight  Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Cubic metre  8.5E-05 MS  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. usage temperature³  -20 °C  Min. usage temperature 3	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  Box Quantity  10 Pcs  Quantity per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  150 mm  Box Height  75 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Height  14.5 mm  Net Weight  Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature <sup>3</sup> -20 °C  Min. usage temperature <sup>3</sup>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x approx.180 cm) 4800 Pcs Quantity Per Layer (Pallet) 240 Pcs Box Length/Depth 240 mm Box Width 150 mm Box Height 75 mm Product Length/Depth 195 mm Product Width 30 mm Product Width 14.5 mm Net Weight Weight bag (Recycling Symbol "4") 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Gross Weight Cubic metre 8.5E-05 MS Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. usage temperature³	Complies with California Proposition 65	Yes
Box Quantity per Pallet (80 x 120 x approx.180 cm)  Quantity Per Layer (Pallet)  Box Length/Depth  Box Width  Box Height  Product Length/Depth  195 mm  Product Width  30 mm  Product Height  14.5 mm  Net Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperatures  4800 Pcs  48	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)4800 PcsQuantity Per Layer (Pallet)240 PcsBox Length/Depth240 mmBox Width150 mmBox Height75 mmProduct Length/Depth195 mmProduct Width30 mmProduct Height14.5 mmNet Weight bag (Recycling Symbol "4")0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 MGRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)240 PcsBox Length/Depth240 mmBox Width150 mmBox Height75 mmProduct Length/Depth195 mmProduct Width30 mmProduct Height14.5 mmNet Weight bag (Recycling Symbol "4")0.031 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 MsRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length/Depth  Box Width  Box Width  Box Height  75 mm  Product Length/Depth  195 mm  Product Width  30 mm  Product Height  14.5 mm  Net Weight  Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Gross Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. usage temperature³	Quantity per Pallet (80 x 120 x approx.180 cm)	4800 Pcs
Box Width 150 mm Box Height 75 mm Product Length/Depth 195 mm Product Width 30 mm Product Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Total Tare Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature3 -20 °C	Quantity Per Layer (Pallet)	240 Pcs.
Box Height 75 mm  Product Length/Depth 195 mm  Product Width 30 mm  Product Height 14.5 mm  Net Weight 0.031 kg Weight bag (Recycling Symbol "4") 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg  Total Tare Weight 0.01 kg  Gross Weight 0.04 kg  Cubic metre 8.5E-05 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Min. usage temperature³ -20 °C  Min. usage temperature³	Box Length/Depth	240 mm
Product Length/Depth195 mmProduct Width30 mmProduct Height14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4")0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	150 mm
Product Width 30 mm Product Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Total Tare Weight 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Box Height	75 mm
Product Height14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4")0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Length/Depth	195 mm
Net Weight bag (Recycling Symbol "4")  Weight cardboard (Recycling symbol "20" PAP)  Total Tare Weight  Gross Weight  Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature³  0.031 kg 0.002 kg 0.008 kg 0.01 kg 0.01 kg 0.01 kg 0.02 kg 0.01 kg 0.02 k	Product Width	30 mm
Weight bag (Recycling Symbol "4")0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Product Height	14.5 mm
Weight cardboard (Recycling symbol "20" PAP)0.008 kgTotal Tare Weight0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.031 kg
Total Tare Weight  Gross Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Weight bag (Recycling Symbol "4")	0.002 kg
Gross Weight  Cubic metre  8.5E-05 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.008 kg
Cubic metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  8.5E-05 M3  8.5E-05 M3  8.5E-05 M3  121 °C  80 °C  80 °C  100 °C  100 °C  100 °C	Total Tare Weight	0.01 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Gross Weight	0.04 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	8.5E-05 M3
Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature³  -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature 100 °C	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C
Min. pH-value in usage concentration 2 pH	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5 pH	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705022015814
GTIN-14 Number (Box quantity)	15705028015822
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.