
## Upright Dustpan, 13", Green







The contact lip is designed for easy and efficient sweeping into the dustpan. The outer front surface has a raised area to prevent debris from falling out of the dustpan. The enlarged rear and side walls enable the dustpan to hold larger volumes of debris.

## **Technical Data**

| Item Number   | 56622  |
|---|--|
| Max. Length   | 37.8 "   |
| Material  | Polypropylene<br>Polyamide Anodised<br>Aluminium |
| Recycling Symbol "5", Polypropylene (PP)                                | Yes  |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes  |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes  |
| Complies with FDA RegulationI CFR 21 <sup>1</sup>                       | Yes  |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes  |
| Meets the REACH Regulation (EC) No. 1907/2006                           | Yes  |
| Complies with California Proposition 65                                 | Yes  |
| Complies with Halal and Kosher  | Yes  |
| Box Quantity  | 10 Pcs.  |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 120 Pcs.   |
| Quantity Per Layer (Pallet)   | 20 Pcs.  |
| Box Length/Depth  | 39.4 "   |
| Box Width   | 16.1 "   |
| Box Height  | 10.2 "   |
| Product Length/Depth  | 13 "   |
| Product Width   | 7.9 "  |
| Product Height  | 3.5 "  |
| Net Weight  | 1.0273 lbs                                       |
| Weight bag (Recycling Symbol "4") LDPE                                  | 0.07 lbs   |
| Weight cardboard (Recycling symbol "20" PAP)                            | 0.15 lbs   |
| Total Tare Weight   | 0.22 lbs   |
| Gross Weight  | 1.2478 lbs                                       |
| Cubic Feet  | 0.2052 ft3                                       |
| Recommended sterilisation temperature (Autoclave)                       | 249.8 °F   |
| Max. cleaning temperature (Dishwasher)                                  | 199.4 °F   |
| Max usage temperature (food contact)                                    | 212 °F   |
| Max usage temperature (non food contact)                                | 212 °F   |
| Min. usage temperature  | -4 °F  |
| Max. drying temperature   | 212 °F   |
| Min. pH-value in usage concentration                                    | 2 pH   |
| Max. pH-value in Usage Concentration                                    | 2.5 pH   |
| GTIN-13 Number  | 5705022017832                                    |

| GTIN-14 Number (Box quantity) | 15705028017840 |
|-------------------------------|----------------|
| Customs Tariff Number         | 39241000       |
| Country of Origin ISO Code    | DK             |
| Country of Origin             | Denmark        |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.