56656

Dustpan set, closable with broom, 350 mm, Medium, Yellow







This solidly built dustpan is very easy for users to use with one hand while the other holds a broom.

Emptying is just as easy as using it—the lid can be locked into place by pressing the handle backward until there is a click.

Unlock it by pulling forward.

The recess where the lid locks into place can also be used as a grip if users need to empty heavy debris.

In use, the dustpan lip is built to seal tightly to the floor to prevent debris from sliding under the dustpan, even if it's placed close to a wall.

The interlocking broom system and narrow, upright design make storage a breeze, as the whole system can stand on its own, with the broom tucked into the dustpan. The dustpan can collect up to 0,3 liter liquid.

Technical Data

Item Number 56656 Bristie stiffness Medium Content 9 Litre Material Anodised Aluminium Polypropylene Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EU Regulation 2CR23/2006/EC of Good Manufacturing Practice Complies with EU Regulation 2CR23/2006/EC of Good Manufacturing Practice Complies with EU Regulation 1CFR 21' Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008739098-0001-3 GB 6172672-74, US/29/813369 Box Quantity 4 Pcs. Quantity per Pallet (80 × 120 × 180-200 cm) 40 Pcs. Quantity Per Layer (Pallet) 8 Pcx Length Box Vidth Horduct Height 7 reduct Height 7 reduct Height 1 120 mm Net Weight and (Recycling symbol "20" PAP) 0.1823 kg Tare total Cubic metre 0.06272 M3 Max. Leage temperature (food contact) Max usage temperature (food contact) Max usage temperature ³ -20 °C	roomiour Butu	
Content 9 Litre Material Anodised Aluminium Polypropylene Polypester (PBT) Stainless Steel (AISI 304) Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation 1CFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Hal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008739098-0001-3, GB 6172672-74, US/29/813369 Box Quantity 4 Pcs. Quantity Per Layer (Pallet) 8 Pcs. Box Length 850 mm Box Width 410 mm Box Width 410 mm Box Width 1120 mm Product Height 1574 kg Weight cardboard (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0477 kg Weight cardboard (Recycling Symbol "20" PAP) 0.1823 kg Caros Weight 1.8 kg 0.06272 M3	Item Number	56656
Material Anodised Aluminium Polypropylene Polyester (PET) Stanless Steel (AISI 304) Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with EC) 1935/2004 on food contact materials' Yes Complies with ED Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with TEACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008739086-0001-3, GB 6172672-74, US/29/813369 Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 40 Pcs. Quantity Per Layer (Pallet) 8 Pcs. Box Length 850 mm Box Width 410 mm Product Height 1574 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.477 kg Weight bag (Recycling symbol "20" PAP) 0.4828 kg Gross Weight 1.8 kg Cubic metre 0.06272 M3	Bristle stiffness	Medium
Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Product Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with TebA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 008739098-0001-3, GB 6172672-74, US/29/81369 Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 40 Pcs. Quantity Per Layer (Pallet) 8 Pcs. Box Length 850 mm Box Width 410 mm Box Vidth 1120 mm Product Height 1120 mm Veight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0477 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0477 kg Weight tardboard (Recycling symbol "20" PAP) 0.1823 kg Grass Weight 1.8 kg 0.06272 M3 Max. cleaning temperature (Dishwasher) 93 °C	Content	9 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 00873908-0001-3, GB 6172672-74, US/29/813669 Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 40 Pcs. Quantity Per Layer (Pallet) 8 Pcs. Box Length 850 mm Box Width 410 mm Box Height 360 mm Product Length/Depth 350 mm Product Width 160 mm Product Height 1.574 kg Weight bag (Recycling Symbol "20" PAP) 0.1823 kg Tare total 0.23 kg Gross Weight 1.8 kg Cubic metre 0.06272 M3 Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C </td <td>Material</td> <td>Polypropylene Polyester (PBT) Stainless Steel</td>	Material	Polypropylene Polyester (PBT) Stainless Steel
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with VX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/81369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Length/Depth1574 kgWeight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Product Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing PracticeComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Klith360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Width1.574 kgWeight cardboard (Recycling symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Width160 mmProduct Length/Depth350 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 00873098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Height1120 mmNet Weight0.0477 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Width1120 mmNet Weight0.0477 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Length/Depth1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 008739098-0001-3, GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Height160 mmProduct Height1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
GB 6172672-74, US/29/813369Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Length/Depth160 mmProduct Height1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)40 Pcs.Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Width360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Height1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	GB 6172672-74,
Quantity Per Layer (Pallet)8 Pcs.Box Length850 mmBox Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Quantity	4 Pcs.
Box Length850 mmBox Width410 mmBox Width360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	40 Pcs.
Box Width410 mmBox Height360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	8 Pcs.
Box Height360 mmProduct Length/Depth350 mmProduct Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Length	850 mm
Product Length/Depth350 mmProduct Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Width	410 mm
Product Width160 mmProduct Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Height	360 mm
Product Height1120 mmNet Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °C	Product Length/Depth	350 mm
Net Weight1.574 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Product Width	160 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0477 kgWeight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Product Height	1120 mm
Weight cardboard (Recycling symbol "20" PAP)0.1823 kgTare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	1.574 kg
Tare total0.23 kgGross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0477 kg
Gross Weight1.8 kgCubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.1823 kg
Cubic metre0.06272 M3Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.23 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	1.8 kg
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.06272 M3
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max. usage temperature (food contact)	80 °C
Min. usage temperature³-20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022036734
GTIN-14 Number (Box quantity)	15705028033741
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.